		28	.Using specified radiation-
1	HOLOGRAPHIC PROCESS, COMPOSITION,	20	sensitive composition other
	OR PRODUCT		than a nominal sensitized
2	.Composition or product or		polyvinyl alcohol
•	process of making the same	29	.Using specified post-imaging
3	USE OF SOUND OR NONDIGITAL		process composition
	COMPRESSIVE FORCE	30	INCLUDING CONTROL FEATURE
4	RADIATION MODIFYING PRODUCT OR		RESPONSIVE TO A TEST OR
_	PROCESS OF MAKING		MEASUREMENT
5	.Radiation mask	31	ELECTRIC OR MAGNETIC IMAGERY,
6	.Screen other than for cathode-		E.G., XEROGRAPHY,
_	ray tube		ELECTROGRAPHY, MAGNETOGRAPHY,
7	Color		ETC., PROCESS, COMPOSITION, OR
8	MICROGRAPHY, PROCESS,		PRODUCT
	COMPOSITION, OR PRODUCT OTHER	32	.Electrophoretic imaging,
	THAN MICROELECTRONIC DEVICE		process, composition, or
0	MANUFACTURE		product
9	IMAGED PRODUCT	33	Post treatment process to fix
10	.Antifraud or antitampering		or transfer image, or collect
11	.Structurally defined		or remove electric radiation
12	Nonuniform or noncoextensive		sensitive pigment
	layer added to finished imaged	34	Pretreatment process to change
1.7	product		the physical properties of
13	.Image contained within		electrophoretic suspension or
1.4	transparent base		specified imaging feature
14	.Multilayer		exposure
15	Plural image layers	35	Specified electric field
16	.Deposited metal coating on image		applied or electric charging
17	.Nonsilver image		step
18	.Including resin or synthetic	36	Manipulation of electrode
1.0	polymer	37	Electric radiation sensitive
19	ERASABLE IMAGING		pigment
20	LIQUID CRYSTAL PROCESS,	38	Material used to modify
0.1	COMPOSITION, OR PRODUCT		electrophoretic suspension
21	RETRIEVING IMAGE MADE USING		response
0.0	RADIATION IMAGERY	39	.Magnetic imaging
22	REGISTRATION OR LAYOUT PROCESS	40	.Manifold imaging, process,
22	OTHER THAN COLOR PROOFING		composition, or product
23	PRODUCING CATHODE-RAY TUBE OR	41	.Migration imaging, process,
2.4	ELEMENT THEREOF		composition, or product, e.g.,
24	.Using specific control or		electrosolography, etc.
	specific modification of	42.1	.To produce color reproduction
	exposure, i.e., by manipulation of radiation		(i.e., two or more colors
	source or exposure through	42.1	specified)
	elements other than shadow	43.1	With color correction step
	mask	44.1	With sintering
25	.With light-absorbing matrix on	45.1	Process with identified
	faceplate		developing composition or
26	.With faceplate of phosphoric		<pre>identified developing step (e.g., toner binder, softening</pre>
	stripes		_
27	.With filter material on finished		<pre>point, reversal developing, etc.)</pre>
	faceplate		330.7
	oop + a oo		

# 430 - 2 $\,$ CLASS 430 RADIATION IMAGERY CHEMISTRY: PROCESS, COMPOSITION, OR PRODUCT THEREOF

45.2	Liquid developing composition or process (e.g., using toner	47.3	Stripping toner image layer from imaging element
	particles in liquid vehicle, etc.)	47.4	Identified intermediate receptor
45.3	Identified developing feature	47.5	Identified final receptor
	(e.g., reversal development,	48	.Electrostatic image transfer
	etc.)	49.1	.To produce printing surface
45.31	Developing electrostatic	49.2	Driographic (i.e., waterless)
	latent images of different		printing surface
	potential areas or polarities	49.3	Having toned image transfer
	(e.g., trilevel image of three differentially charged areas,	49.31	Toner release layer on imaging layer
45 20	etc.)	49.4	Having imagewise portion
45.32	Magnetic brush		removal of radiation-sensitive
45.33	Polymerizing developing		imaging layer (e.g.,
	composition (e.g.,		dissolving, transfer, plasma
	<pre>photohardening of microcapsules, etc.)</pre>		etching, etc.)
45.4	Developing composition having	49.41	Removal of portion under
43.4	five or more different color		imaging layer of toner area only
	toners (e.g., pentachrome, hexachrome, etc.)	49.42	Includes etching substrate
45.5	Developing composition having	49.43	By wet removal (e.g., solvent,
45.5	subtractive colorant (i.e.,		surface active agent solution,
	cyan, magenta, or yellow)		alkaline solution, etc.)
45.51	Dissimilar toners of	49.44	Toned image removed
	identified chemical or physical property		subsequent to nontoned portion removal
45.53	Developing composition	49.45	Liquid or solution containing
13.33	forming glossy image		nitrogen-containing compound
45.54	Identified shape (e.g.,		<pre>(e.g., ammonia hydroxide, etc.)</pre>
	sphere-shaped toner, toner	49.46	Alkaline solution (e.g.,
	shape factor, etc.)	49.40	Na+OH- solution, etc.)
45.55	Identified toner or colorant	49.5	Posttreatment making nonimaged
	surface area or size (e.g.,	40.0	or nontoned areas hydrophilic
	pigment size, etc.)	49.6	Liquid posttreatment
45.56	Having carrier particles	49.7	Nitrogen-containing compound
	(i.e., multicomponent	10.7	(e.g., amine solution, etc.)
	developer)	49.8	Cyano-containing compound
46.1	Process with identified		(e.g., FeCN, etc.)
	radiation-conductive element	50	.Deformation imaging, e.g., frost
	or composition (e.g.,		imaging, etc.
4.6.0	photoreceptor, etc.)	51	.Persistent internal polarization
46.2	Plural charge generation		imaging
46.2	layers	52	.Electrolysis imaging
46.3	Color filter layer	53	.Using ion or particle flow
46.4	Identified organic binder		modulation
46.5	Inorganic-containing radiation	54	.To produce multiple image on
47.1	conductive compositionProcess with identified		medium or plural radiant
<b>4</b> / • ⊥	receptor or identified image		energy exposures of medium,
	transfer process step		e.g., image intensification
47.2	Plural color images		using two images, or two
- · · · -	transferred to receptor		exposures of same image, etc.
	-		

55	.Charging simultaneous with imaging	58.6	Carbazole containing or derivative
56	.Radiation-sensitive composition or product	58.65 58.7	Arylamine containingPolymeric arylamine
57.1	Having plural conductive layers		containing
57.2	With plural charge generation layers	58.75	<pre>Triamine, or diamine   containing</pre>
57.3	Nitrogen hetero ring compound in one or more charge	58.8	1,1' biphenyl 4,4' diamine (e.g., benzidine, etc.)
57.4	generation layersInorganic silicon (e.g.,	58.85	Charge transport layer containing alkenylarylamine
	elemental silicon, silicon alloy or inorganic compound	59.1	<pre>And specified charge   generator layer</pre>
	thereof) in one or more charge generation layers	59.2	<pre>Charge generator layer   contains compound having an</pre>
57.5	<pre>With germanium (elemental, compound or alloy) in layer</pre>		<pre>acyclic azo group (i.e., -N=N- )</pre>
	containing silicon	59.3	Compound having an acyclic
57.6	Germanium as dopant		azo group and having either an
57.7	P-type or n-type silicon		azomethine (i.e., $-CH=N$ ), or a
	containing (e.g., silicon		stilbene group; or a compound
	doped with a Group IIIa, or a		having three or more azo
	Group Va element)		groups in charge generator
57.8	Inorganic selenium (Se)	FO 4	layer
	(e.g., elemental selenium,	59.4	Phthalocyanine or
	<pre>selenium alloy or inorganic compound thereof)</pre>		phthalocyanine derivative compound in charge generator
58.05	Charge transport layer		layer
58.1	Inorganic charge transport layer	59.5	Titanium (Ti) or vanadium (V) phthalocyanine containing
58.15	Sulfur containing hetero ring in charge transport layer	59.6	With specified binder resin in transport layer
58.2	Organosilicon or	60	Product having layer between
3372	organogermanium in charge transport layer		radiation-conductive layer and base or support
58.25	Cyclic ketone,	61	Sensitizing layer
	cyclodicyanomethylene, or	62	Conductive layer
	cyclomethylenemalonate in	63	Inorganic containing
	charge transport layer	64	Blocking or barrier layer
58.3	Containing at least three	65	Inorganic containing
	aryl groups bonded to a single	66	Product having overlayer on
	carbon atom in charge		radiation-conductive layer
58.35	transport layerOrganic nitrogen in charge	67	Electrically insulating overlayer
	transport layer	68	Including radiation-conductive
58.4	Hydrazone containing	00	screen
58.45	Additional nitrogen	69	Including conductive base or
	attached indirectly to the	03	support
	hydrazone group by nonionic	70	Radiation-conductive
	bonding	, 0	composition contains
58.5	Nitrogen hetero ring		carbocyclic ring only
	compound	71	Polycyclo ring system
58.55	Pyrazole containing (e.g.,	72	Substituted
	including hydrogenated	73	Containing amino or
	pyrazole, etc.)		substituted amino group

# 430 - 4 $\,$ CLASS 430 RADIATION IMAGERY CHEMISTRY: PROCESS, COMPOSITION, OR PRODUCT THEREOF

74	Alkyl amino group	106.3	Elemental metal or alloy
75	Radiation-conductive		magnetic component
	composition contains hetero	107.1	Dry multicolor toner (i.e.,
<b>5</b> .6	ring		composition containing more
76	The hetero ring has at least		than one colored toner (e.g., cyan, magenta, and yellow
	nitrogen as a ring hetero atom		toners, etc.)) with chemically
77	Additional diverse ring		identified colorant or
70	hetero atom in the hetero ring		colorant identified by color
78	Polycyclo ring system having	108.1	Dry toner with chemically
	the hetero ring as one of the	100.1	identified adjuvant (e.g.,
79	cyclo systemsCarbazole		charge control agent,
80			colorant, etc.)
80	Polymer or synthetic resin	108.11	Fluorine compound adjuvant
81	onlySensitized or doped	108.14	Fluorophosphate salt or
82	Dye or pigment		fluoroborate salt adjuvant
83	Sensitized or doped organic	108.15	Organic fluorine compound
03	radiation conductor		adjuvant containing either
84	Inorganic radiation conductive		nitrogen or phosphorus
04	composition	108.2	Organic nitrogen or organic
85	Alloy		phosphorus compound adjuvant
86	Having more than two	108.21	Plural nitrogen or
00	constituents		phosphorus atoms attached
87	Zinc containing		directly or indirectly to each
88	And other radiation-		other by nonionic bonding in
	conductive material		the adjuvant
89	And nonsensitizing additive	108.22	As a nitrogen- or
	other than binder		phosphorus-containing polymer
90	Sensitized or doped	108.23	Azo containing adjuvant
91	Dye or pigment	108.24	Heavy metal, aluminum, or
92	Intercyclic-acyclic -CH= or		silicon in the nitrogen or
	intercyclic-acyclic chain		phosphorus compound
	which contains -CH=	108.3	Organic heavy metal,
93	Cyanine dye		aluminum, or silicon compound
94	Cadmium containing	100 4	adjuvant
95	Sensitized or doped	108.4	<pre>Carboxylic acid or ester compound adjuvant</pre>
96	Binder for radiation-conductive	108.5	Organic sulfur compound
	composition	100.5	adjuvant
97	.Post imaging process, finishing,	108.6	Metal oxide conmpound
	or perfecting composition or	100.0	adjuvant (e.g.,
	product		AI2O3'TiO2'etc.)
100	Reversal development	108.7	Inorganic silicon compound
101	Impression development	2001.	adjuvant
102	Selective toner release	108.8	Hydrocarbon wax-containing
103	Using development electrode		adjuvant
104	Finishing or perfecting	108.9	Identified carbon black
	composition or product		adjuvant
105	Developing composition or	109.1	Dry toner having chemically
	product		identified binder
106.1	Dry toner containing a	109.2	Epoxy or oxirane compound
	chemically identified magnetic		(e.g., glycidyl, etc.) binder
106.0	component		
106.2	Binary ferric or ferrous		
	oxide containing magnetic		
	component		

109.3	Vinyl addition binder (e.g.,	117.4	Developed image transfer
	methacrylate, styrene or vinyl	117.5	Fixing developed image
	chloride addition products,	118.1	Replenishing liquid developer
	etc.)		during development
109.31	Covalent nitrogen in the	118.2	Prewetting image carrier
	vinyl addition binder		immediately prior to
109.4	Polyester backbone binder		development
	(e.g., condensation reaction	118.3	Identified development step
	<pre>product, etc.)</pre>		(e.g., misting, etc.)
109.5	Organic nitrogen containing	118.4	Applying electrical bias
	<pre>binder (e.g., polyamide, etc.)</pre>	118.5	Pretreatment of developer
110.1	Identified dry toner physical		(e.g., agitating, etc.)
	structure	118.6	Identified developer (e.g.,
110.2	Core-shell structure		resin-coated pigment
110.3	Identified toner shape		structure, etc.)
	(e.g., recited shape	118.7	Having identified image
	<pre>parameter, etc.)</pre>		carrier
110.4	Having specified toner	118.8	Toner particle size
	particle size distribution	119.1	Toner polymer composition
111.1	Chemically identified carrier	119.2	Block or graft polymer
	for dry toner	119.3	Silicon-containing polymer
111.2	Glass-containing carrier	119.4	Halogen-containing liquid
111.3	Magnetic carrier		carrier
111.31	Ferrite containing magnetic	119.5	Acid or salt adjuvant
	carrier	119.6	Identified image carrier
111.32	Ferrite core-resin shell	119.7	With subsequent imaging member
	carrier		cleaning
111.33	The ferrite contains	119.71	Identified radiation
	nonferrous metal oxide		conductive surface
111.34	Chemically identified	119.72	Charge transport layer
	elemental magnetic metal or		cleaning
	magnetic alloy carrier	119.8	Using identified cleaning
111.35	Chemically or physically		element or material (e.g.,
	identified binder or coating		brush, etc.)
	resin for magnetic carrier	119.81	Cleaning with particles
111.4	Identified physical parameter		(e.g., magnetic brush, etc.)
	of carrier particle or dry	119.82	Cleaning with blade
	toner particle, etc. (Tg, MW,	119.83	Identified blade movement
	coercivity, density, etc.)		(e.g., vibrated, oscillated,
111.41	Electrical or magnetic		etc.)
	parameter	119.84	Polyurethane blade (e.g.,
112	Liquid		polyurethane binder,
113	Multiple phase liquid		polyurethane spheres in
	carrier medium, i.e., emulsion		matrix, etc.)
114	Identified toner, i.e.,	119.85	Cleaning with fibrous brush
	identified resin coated	119.86	Cleaning away identified
	pigment, etc.		component (e.g., toner or
115	Identified adjuvant, i.e.,		toner additive, etc.)
	surfactant, etc.	119.87	With recycling of cleaned
116	Identified liquid carrier		developer or developer
117.1	Liquid development		component
117.2	Postdeveloping step	119.88	Recycling identified toner
117.3	Liquid developer removal step	120.1	Dry powder developing
117.31	Only liquid carrier removal		
117.32	Liquid developer recycling		

# 430 - 6 $\,$ CLASS 430 RADIATION IMAGERY CHEMISTRY: PROCESS, COMPOSITION, OR PRODUCT THEREOF

120.2	To produce named article	123.51	Toner having identified
	(e.g., semiconductor, etc.) by		external additive on outside
	dry toner development		of toner particle (e.g.,
120.3	Magnetic ink character		external fluidity agent,
	recognition (MICR) article		external charge control agent,
	(e.g., production of bank		etc.)
	checks, etc.)	123.52	Identified melt property of
120.4	Postimage processing to change		toner or toner component
	developed image color		(e.g., melt viscosity, melt
120.5	Simultaneous imaging and		<pre>index, etc.)</pre>
	developing	123.53	Identified modulus of toner
121.1	Cascading powder developing		or toner component (e.g.,
122.1	Magnetic brush developing		elastic modulus, bulk modulus,
122.2	Using identified carrier		Young's modulus, etc.)
122.3	Hard magnetic (i.e.,	123.54	Identified glass transition
	permanent magnetic) carrier		temperature (Tg)
122.4	Carrier particle	123.55	Identified softening point
	conductivity or resistivity	123.56	Identified electrostatic
122.5	Identified magnetic toner		property of toner (e.g.,
122.51	Magnetic monocomponent		triboelectric charge value,
122.51	developer (i.e., toner		etc.)
	developer with no carrier)	123.57	Identified toner colorant
122.52	Magnetic toner conductivity		(e.g., dye, pigment, etc.)
122.52	or resistivity	123.58	Developing using identified
122.6	Identified developer		particulate carrier
122.0	conductivity or resistivity	124.1	Fixing toner image (i.e.,
	(e.g., carrier, oxide in		fusing)
	toner, etc.)	124.11	Simultaneous transferring and
122.7	Identified magnetic brush		fixing
122.7	speed	124.12	Etching, sublimation, or
122.8	Identified applied voltage		dissolving receiver after
122.9	Identified applied voltageIdentified toner orientation		fixing
122.9	Using fur brush	124.13	Posttreating fixed image
123.1			(e.g., smoothing, etc.)
	Using powder cloud	124.14	Sintering fixed image
123.3	Using chemically identified	124.15	Removing fixed image from
	application member (e.g.,		receiver
100 4	donor roll or sleeve, etc.)	124.2	Plural fixing of single toner
123.4	Developing image on identified		image
100 41	imaging member	124.21	Fluid (liquid or gas) contact
123.41	Identified developer	121.21	fixing
	composition (e.g., toner,	124.22	Using liquid polymer or
	carrier, etc.)	124.22	liquid metal
123.42	Identified imaging member	124.23	Fixing by pressure only (e.g.,
	outermost layer	124.23	cold fixing, etc.)
123.43	Imaging member having both	104 0	
	charge generation and charge	124.3	Heat fixing using roller or
400 -	transport layers		<pre>belt (e.g., fuser member, etc.)</pre>
123.5	Using identified toner (e.g.,	10/ 01	Heated metal roller
	identified colorant, toner	124.31	
	property, etc.)	124.32	Identified roller or belt
			composition or structure
		101 22	Disconding agent of the control of
		124.33	Fluorine-containing resin in
		124.33	Fluorine-containing resin in surface layer of belt or roller

124.34	<pre>Applying liquid to roller   or belt surface (e.g., release   oil applied, etc.)</pre>	130	<pre>Thermal or energy treatment of radiation-sensitive layer, e.g., fusing, annealing, or</pre>
124.35	Silicone-containing resin in surface of belt or roller		solvent after treatment of radiation-sensitive layer,
124.36	Applying liquid to roller		etc.
121.50	or belt surface (e.g., release	131	Applying subbing layer
	liquid applied, etc.)	132	Applying overlayer
124.37	Silicone-containing liquid,	133	Applying radiation-sensitive
124.57	powder, or solid-treating		layer
	roller or belt surface layer	134	Heterogeneous
	<pre>(e.g., release agent applied to surface, etc.)</pre>	135	.Process of making radiation- sensitive composition
124.38	Belt or roller has three or more solid layers on support	136	<pre>Utilizing high temperature,   e.g., by fusing, etc.</pre>
	or core	137.1	.Process of making developer
124.4	Noncontact fixing (e.g., flash		composition
	fusing, etc.)	137.11	By coating
124.5	Fixing to identified receiver	137.12	In situ polymerization to form
124.51	Identified receiver surface		shell, followed by
	texture (e.g., fibrous,		polymerization to form core
	porous, etc.)	137.13	Carrier core coating
124.52	Identified transparent	137.14	By coalescing or aggregating
	receiver	137.15	By polymerization
124.53	Polymer or wax receiver	137.16	Chemical after treating of
	surface	137,113	polymer
124.54	Polyester	137.17	Two-phase polymerization
125.1	Postdevelopment treatment of		(e.g., oil-water)
	reusable imaging member to remove charges	137.18	By milling, grinding, crushing, or comminuting
125.2	Optical radiation treatment	137.19	Milling, grinding, crushing,
125.3	Toner image transfer		or comminuting in liquid
125.31	Removing toner image and layer	137.2	Milling with subsequent
	from imaging member (i.e.,		classification
	with layer stripping or cover	137.21	By dry blending developer
	layer removal)		components
125.32	Identified intermediate	137.22	Making a liquid toner or
	transfer member		concentrate
125.33	Containing silicone or	138	MICROCAPSULE, PROCESS,
	siloxane transfer component		COMPOSITION, OR PRODUCT
125.4	With intermediate transfer	139	LUMINESCENT IMAGING
	cleaning	140	PRODUCT HAVING SOUND RECORD OR
125.5	Electrostatic transfer of		PROCESS OF MAKING
	toner image	141	DIAZO REPRODUCTION, PROCESS,
125.6	Identified final receptor		COMPOSITION, OR PRODUCT
126.1	Forming overlayer on developed	142	.Process producing multiple image
	image	143	Color proofing, colloid
126.2	Postimaging treatment of		transfer, or pigment
	imaging member (e.g., applying		development
	<pre>lubricant, etc.)</pre>	144	.Powder development of tacky
127	.Process of making radiation-		surface
	sensitive product	145	.Photomechanical dye image
128	Coating by vacuum deposition		prepared
129	Extrusion coating		

### 430 - 8 $\,$ CLASS 430 RADIATION IMAGERY CHEMISTRY: PROCESS, COMPOSITION, OR PRODUCT THEREOF

146	.Diazo-type process, i.e., producing dye image by	169	Using specific adjuvant other than radiation-sensitive diazo
	reacting the diazo or the		compound
	imaged reaction product of the	170	Radiation-sensitive composition
4.5	diazo	171	Diazonium compound containing
147	Negative image prepared	172	At least two diverse
148	To make diazo-type		diazonium compounds
	intermediate, black-line	173	At least two couplers
	image, or continuous-tone	174	Includes additional adjuvant
	image		other than acidic stabilizer
149	Liquid development, e.g.,	175	Polymeric diazonium compound
	aqueous solution with coupler,	176	Polymeric mixture
	etc.	177	Processing ingredient other
150	Gaseous development, e.g.,	Ι,,	than coupler or carboxylic
	ammonia vapor, etc.		acid compound
151	Heat development	178	
152	.Vesicular process		Metal salt ingredient
153	.Physical development	179	Nitrogen atom containing
154	.Composition or product which		organic ingredient
154		180	Naphthol coupler included
	contains radiation sensitive	181	Phenol coupler included
	compound having moiety of	182	Aceto-aceto or heterocyclic
	nitrogen double or triple		coupler included
	bonded directly to nitrogen	183	P-amino or p-thio benzene
	other than chromophore moiety,		diazonium compound
	e.g., triazene containing	184	2,3 substitution of benzene
	product, etc., process of		nucleus
	making, and composition or	185	Additional substituent on
	product used to finish or		benzene nucleus
	develop a diazo reproduction	186	P-substituent is p-
155	Product with at least two named	100	heterocyclic amine
	layers	187	2,5 substitution of benzene
156	At least two radiation-	107	
	sensitive layers	100	nucleus
157	Diazonium compound containing	188	Diazo-N-sulfonate containing
	layer	189	Quinone diazide containing
158	Including subbing layer	190	Polymeric quinone diazide
159	Silicon, nitrogen, or sulfur	191	And monomeric processing
	compound containing subbing		ingredient
	layer	192	Polymeric mixture
160	Polymer containing subbing	193	O-quinone diazide
100	layer	194	Azide containing
161	Acid, salt, or ester moiety	195	Polymeric azide
101	ingredient containing subbing	196	And monomeric processing
			ingredient
1.60	layer	197	Polymeric mixture
162	Including overlayer or	198	VISIBLE IMAGING INCLUDING STEP OF
	backing layer	190	
163	Diazonium salt with anion	100	FIRING OR SINTERING
	specified	199	TRANSFER PROCEDURE BETWEEN IMAGE
164	Diazo-N-sulfonate containing		AND IMAGE LAYER, IMAGE
	layer		RECEIVING LAYERS, OR ELEMENT
165	Quinone diazide containing		CONTAINING AN IMAGE RECEIVING
	layer		LAYER OR AN INGREDIENT FOR
166	Including additional layer		FORMING AN IMAGE RECEIVING
167	Azide containing layer		LAYER
168	Process of making diazo product		
	Title to mentally draid product		

200	.Imagewise heating, element or image receiving layers therefor or imagewise vapor and gas transfer process, element or image receiving layer therefor	214	Having either a nonradiation sensitive scavenger layer, or an ingredient for forming scavenger or barrier layer, or an identified developing agent scavenger
201	Imagewise vapor or gas transfer process, element or image receiving layer therefor	215	Identified synthetic polymeric binder contained in nonradiation sensitive
202	.Diffusion transfer process, element, or identified image receiving layers therefor		processing composition permeable layer other than an image receiving or
203	By uniform application of heat, element, or image receiving layer therefor	216	neutralizating layerIdentified neutralizing layer or ingredient containing or
204	Making printing plate		dye stabilizer containing
205	Including imagewise removal of image receiving layer or portion thereof	217	Silver halide identified- grain, identified emulsion binder other than nominal
206	Web processing of radiation- sensitive layer or imbibition of image receiving layer or		gelatin, or identified sensitizer or identified desensitizer containing
	<pre>image receiving element with processing composition prior to contact with the radiation sensitive element or layer</pre>	218	Identified nondye image forming developing agent, silver halide development accelerator or retarder, or
207	Element structurally defined		<pre>dye image forming accelerator or retarder containing</pre>
	other than containing nominal	219	Silver halide developing
	<pre>processing composition container or trap, or</pre>	217	retarder or antifoggant
	containing processing	220	Identified light absorbing,
	composition container or trap	220	whitening, brightening, or
	made of identified material		reflecting agent other than
208	Having specified processing		nominal TiO2
200	composition retaining means	221	pH sensitive
209	Having specified trap	222	Identified dye image forming
210	Having separable carrier sheet		compound other than colorless
220	with processing composition container or trap permanently		color developer or dye mordant containing or identified
	attached thereto		organic solvent for an
211	Element or identified image	222	incorporated ingredient
0.1.0	receiving layers for dye image formation	223 224	Redox cleavable dye or dye precursor releaser
212	Element containing silver salt sensitizer or either element		<pre>Dye developer or leuco dye developer</pre>
	or image receiving layer for	225	Azo
	use therewith	226	Coupler with coupling-off
213	Having either an identified dye mordant or image receiving		ballast, dye or dye precursor moiety
	layer binder other than nominal gelatin	227	Element or image receiving layers for silver salt or silver complex transfer
		228	Having lenticular or color screen
		229	Permanent laminate

# 430 - 10 $\,$ CLASS 430 RADIATION IMAGERY CHEMISTRY: PROCESS, COMPOSITION, OR PRODUCT THEREOF

230	Identified silver halide grain, silver halide emulsion, binder other than nominally defined gelatin, or silver halide sensitizer or	248	Including silver transfer image toning or stabilizing, or separate post transfer treatment of element or layer containing silver image
231	desensitizer containingIdentified precipitation	249	Developing with an identified silver halide developing agent
	nuclei or image receiving	250	Hydroxylamine
	layer binder containing other	251	Processing with identified
	than nominal gelatin		silver or silver salt
232	Identified organic polymeric		complexing agent
	image receiving layer binder	252	.Image layer portion transfer and
	other than nominal gelatin		element therefor
233	Identified toning or silver	253	Separating exposed areas from
	transfer image stabilizing	200	unexposed or underexposed
	ingredient containing		areas of image layer by
234	Identified developing agent or		transfer, element or image
	silver salt complexing agent		receiving layer therefor
	containing	254	Transfer process with uniform
235	Dye image formation process		heat application and element
236	Using silver salt sensitizer		therefor
237	Using identified	255	Using silver salt sensitizer
	neutralization layer or		and element therefor
	ingredient or separate post	256	STRIPPING PROCESS OR ELEMENT
	transfer treatment of dye	257	.Forming composite image, e.g.,
	image		multiple stripped image
238	Using identified dye mordant		layers, etc.
	or binder other than nominal	258	.Forming nonplanar image
	gelatin	259	.Element
239	Using identified nondye image	260	Stripping layer having
	forming developing agent,		radiation polymerizable or
	silver development accelerator		cross-linkable composition
	or retarder, or dye image	261	Strippable between two
	formation accelerator or		radiation-sensitive layers
	retarder	262	Stripping layer containing
240	Development retarder or		specified synthetic
	antifoggant		nonradiation sensitive polymer
241	Using identified dye forming	263	From ethylenically unsaturated
	compound other than colorless		monomer
	color developer or dye mordant	264	SILVER HALIDE COLLOID TANNING
	or using identified organic		PROCESS, COMPOSITION, OR
0.40	solvent		PRODUCT
242	Redox cleavable dye or dye	265	.Process using lithographic
0.4.0	precursor releaser		infectious developer
243	Dye developer or leuco dye	266	And polymer or nonpolymer
0.4.4	developer		condensation reaction product
244	Silver salt transfer process	267	And heterocyclic additive
245	Exposing through color filter	268	.Infectious developer composition
	element	269	IMAGING AFFECTING PHYSICAL
246	Processing permanent laminate		PROPERTY OF RADIATION
247	Having identified		SENSITIVE MATERIAL, OR
	precipitation nuclei or		PRODUCING NONPLANAR OR
	identified image receiving		PRINTING SURFACE - PROCESS,
	binder other than nominal gelatin		COMPOSITION, OR PRODUCT
	geraciii		

270.1	.Radiation sensitive composition	286.1	Resin or prepolymer containing
	or product or process of		ethylenical unsaturation
	making	287.1	Ethylenic unsaturation within
270.11	Optical recording nonstructural		the side chain component
	layered product having a	288.1	Plural, terminal unsaturation
	radiation sensitive	289.1	Radiation sensitive chromium
	composition layer claimed or	209.1	
	solely disclosed as optically		compound
		290	.Light scattering or refractive
	reorderable and optically		index image formation
	machine readable	291	.Post imaging treatment with
270.12	Having read-write layer of 100		particles
	percent inorganic composition	292	.Readily visible image formation
270.13	Which changes phase during	293	Color proofing or multicolor
	recording		image formation
270.14	Having read-write layer of 100	294	By solvent removal
	percent organic or	295	Making ornamental design
	organometallic composition or		_
	mixtures thereof	296	.Electron beam imaging
270.15	Containing nonpolymeric	297	.Simultaneous radiation imaging
2,0.13	chromophore		and etching of substrate
270.16	-	298	.Simultaneous radiation imaging
	Organometallic containing		and deposition of material on
270.17	Naphthalocyanine		substrate
270.18	Having methine linkage	299	.Simultaneous developing a resist
270.19	And containing quencher or		image and etching a subtrate
	stabilizer	300	.Making printing plates
270.2	Cyanine chromophore	301	Multicolor
270.21	Indolenic cyanine	302	Lithographic
	chromophore		
271.1	Identified backing or	303	Driography
	protective layer containing	304	Coating over colloid image and
272.1	Silicon containing backing or		removal of colloid image to
2/2.1	protective layer		leave reversed image in
072 1			coating, i.e., deep etch
273.1	Identified overlayer on	305	Continuous tone or collotype
	radiation-sensitive layer	306	Relief
274.1	And radiation-sensitive	307	Intaglio or gravure
	chromium compound	308	Stencil
275.1	Metal as backing or protective	309	Post imaging process
	layer	310	Including etching of substrate
276.1	And another backing or	311	.Making electrical device
	protective layer other than	312	Including multiple resist image
	aluminum oxide	312	formation
277.1	Copper	212	
278.1	Aluminum	313	With formation of resist image,
279.1	Zinc or magnesium		and etching of substrate or
280.1	Radiation sensitive composition		material deposition
200.1		314	Etching of substrate and
	comprising oxirane ring		material deposition
001 1	containing component	315	Material deposition only
281.1	Radiation sensitive composition	316	Multiple etching of substrate
	comprising ethylenically	317	Insulative or nonmetallic
	unsaturated compound		dielectric etched
282.1	N-vinylidene	318	Metal etched
283.1	Amide	319	Named electrical device
284.1	Urethane	320	
285.1	Polyester		.Making named article
	-	321	Optical device
		322	.Forming nonplanar surface

### 430 - 12 $\,$ CLASS 430 RADIATION IMAGERY CHEMISTRY: PROCESS, COMPOSITION, OR PRODUCT THEREOF

323	Including etching substrate	357	COLOR IMAGING PROCESS
324	Including material deposition	358	.Color proofing
325	Post image treatment to produce	359	.Color correcting
	elevated pattern	360	Correcting by silver image
326	Pattern elevated in radiation unexposed areas	361	Correcting by color image produced by oxidizing bath
327	.Processing feature prior to		treatment
	imaging	362	Correcting by interimage effect
328	.Post imaging radiant energy	363	.Laser or radiation exposure
	exposure		other than visible light
329	.Removal of imaged layers	364	.Forming combined chromatic and
330	.Including heating		achromatic images
331	.Finishing or perfecting	365	.Forming multicolor image in a
	composition or product		single layer
332	DYE IMAGE FROM RADIATION	366	.Resensitizing
	SENSITIVE DYE OR DYE FORMER BY	367	.Chromatic image produced from
	DRY PROCESSING, COMPOSITION,		achromatic reproduction image
	OR PRODUCT	368	Blue or brown print forming
333	.Multiple image formation,	369	Viewing through either a
	multiple image exposure, or		colored filter or a colored
	simultaneous radiant energy		light
	exposure	370	Toning
334	.Positive image formation from	371	.Mordanting
	radiation sensitive dye former	372	.Stabilizing
335	.Pretreatment processing before	373	.Intensifying
	imaging, e.g., overall radiant	374	.Using identified radiation
	energy exposure, etc.		sensitive composition in the
336	.Developing latent image using		formation of color image
	radiant energy or heat	375	Silver compound sensitizer
337	.Fixing or stabilizing image	376	And coupler
338	.Composition or product	377	And binder, coating aid,
339	Radiation sensitive bleachable dyestuff		solvent, emulsifier, hardener, chemical sensitizer, or
340	Identified sensitizer		optical sensitizer
	containing	378	Direct positive process
341	Metal salt or complex	379	Reversal process
342	Sulfur compound	380	And developer other than or
343	Heterocyclic		in addition to p-
344	Halogen compound		phenylenediamine or derivative
345	Spiropyran dye or dye former		thereof
346	VISIBLE IMAGING USING RADIATION	381	Polymeric or bis coupler
	ONLY OTHER THAN HEATING BY	382	And either developing or dye
	SURFACE CONTACT OR CONVECTION		inhibition
347	COMBINED	383	Forming multicolor image
348	THERMOGRAPHIC PROCESS	384	Identified cyan dye color
349	.Heat applied before imaging	385	Substituted at coupling
350	.Heat applied after imaging		position with other than
351	Color development		hydrogen
352	During stabilization	386	Identified magenta dye color
353	During dry development	387	Substituted at coupling
354	Including generation of vapor,		position with other than
	moisture, etc.	200	hydrogen
355	During solvent development	388	Identified yellow dye color
356	ACHROMATIC IMAGE PRODUCED FROM		
	CHROMATIC REPRODUCTION IMAGE		

389	Substituted at coupling	423	.Treating with processing
	position with other than		composition after imaging
	hydrogen		prior to developing
390	And dye	424	Desensitizing
391	Forming multicolor image	425	Sensitizing
392		426	Prehardening
	And dye catalyst		3
393	Silver bleach or bleach-fix	427	.Treating with process
394	PLURAL EXPOSURE STEPS		composition between standard
395	USING REFLECTED RADIATION, E.G.,		develop and fix-wash
	REFLEX COPYING, ETC.	428	.Stabilizing
396	EFFECTING FRONTAL RADIATION	429	Containing additive
	MODIFICATION DURING EXPOSURE,	430	.Bleaching
	E.G., SCREENING, MASKING,	431	Using silver and dye bleach
	STENCILING, ETC.	432	.Including post developing step
397	.Involving motion during	433	.Developing in acid medium
00.	exposure, e.g., dodging, etc.	434	.Developing in dela mediam
398	REGENERATING IMAGE PROCESSING		
390		435	Using identified developer
200	COMPOSITION	436	Plural identified developers
399	.Developer	437	Three or more identified
400	.Bleach-fix		developers
401	POST IMAGING PROCESSING	438	Containing hydroquinone
402	.Achromatic image from organic	439	And amino substituted
	compound		carbocyclic compound
403	.With structural limitation	440	Heterocyclic
404	.Using web or gel	441	Carbocyclic
405	.Containing developer in element	442	Amino substituent on
406	. Positive	442	
407	Reversal	4.4.0	carbocyclic ring
		443	Having developer releasing
408	Photosolubilization		compound
409	Emulsions fogged during	444	Using polymer or condensation
	processing		reaction product
410	Identified nucleating or	445	Using mercapto or thione
	fogging agent		compound
411	Using fogged emulsion	446	Using heterocyclic compound
412	Identified electron acceptor	447	Using inorganic or
	or desensitizer containing		organometallic complex
413	.Physical developing	448	Using processing ingredient in
414	Amplifying	440	element
		4.4.0	
415	With processing ingredient in	449	NONRADIATION SENSITIVE IMAGE
	element		PROCESSING COMPOSITIONS OR
416	Silver halide as radiation		PROCESS OF MAKING
	sensitive medium	450	.Process of preparing composition
417	Radiation reducible metal		from plural preformed
	compound directly produces		concentrates
	catalytic metal nuclei in	451	.Hardener
	image area	452	Develop-harden
418	.Disparate function simultaneous	453	Fix-harden
	process step	454	.Shortstop
419	Develop-fix	455	.Fixer
420	Develop-lixDevelop-harden		
	<del>-</del>	456	And developer
421	.Using plural sequential baths of	457	Forming dye image
	same type	458	Dry or concentrated
422	.Treating with processing	459	Plural fixers
	composition prior to imaging	460	And bleach
	and then developing	461	.Bleach or intensification

# 430 - 14 $\,$ CLASS 430 RADIATION IMAGERY CHEMISTRY: PROCESS, COMPOSITION, OR PRODUCT THEREOF

462	Dye bleach for color image	499	With feature to control
463	.Wash or aftertreat		spreading of processing
464	.Developer		ingredient
465	Solid or dry	500	Roll film
466	Concentrated or viscosity	501	Roll film
	increasing agent containing	502	.Two or more radiation-sensitive
467	Color developer		layers containing other than
468	Additional developer		that characterized by the
100	containing		composition of a single
469	Including developing		sensitive layer
400	accelerator	503	Layers sensitive to different
470	Coupler containing		spectral regions
470	And additional reactive	504	Ingredient for color
4/1		301	compensation or correction
4.70	compound containing		containing
472	Substituted at coupling	505	Developing inhibitor or
	position with other than	303	processing ingredient
	hydrogen		containing
473	Phenol or naphthol coupler	506	_
474	Pyrazolone coupler	506	And containing plural layers
475	Open-chain keto methylene		sensitive to the same spectral
	coupler	F 0 F	region
476	Heterocyclic coupler	507	Filter layer containing
477	Reducible metal compound	508	Sensitive to portion only of
	including reducing agent,		visible spectrum or of widened
	i.e., physical developer		spectral response
478	Plural developer agents	509	Sensitive layers differ in
	containing		speed
479	Heavy metal organic or	510	.Antihalation or filter layer
	inorganic		containing
480	Heterocyclic developer	511	Filters differing spectral
481	And hydroquinone		regions in different areas of
482	Methyl-p-aminophenol and		the filter, e.g., color screen
402	dihydroxy benzene	512	Filters ultraviolet radiation
483	Heterocyclic developers	513	Dissolvable or removable
484		514	Synthetic resin containing
	Amine developer	515	Carbohydrate or derivative
485	Hydroxy developer		containing
486	Processing additive containing	516	Contains carboxyl groups
487	Accelerator	517	Organic dye or pigment
488	Antisludgant	31.	containing
489	Antifoggant	518	And mordant
490	Stabilizer-preservative	519	Azo
491	Sequestrant	520	
492	Buffer		Triarylmethane
493	Surfactant, emulsifier, or	521	Anthraquinone or quinhydrone
	solvent	522	Intercyclic methine or
494	INCLUDING EXPOSURE STEP OR		azomethine and cyclic ring
	SPECIFIED PRE-EXPOSURE STEP	<b>500</b>	containing
	PERFECTING EXPOSURE	523	.Identified backing or protective
495.1	RADIATION SENSITIVE PRODUCT		layer containing
496	.Structurally defined	524	Metal
497	With processing ingredient	525	And another backing layer
/	container or trap		other than aluminum oxide
498	Container or trap intended to	526	Aluminum
-20	remain in finished product	527	Antistatic agent containing
	Iomain in linibilea produce	528	Ammonium salt

F20	0	F.C.1	7
529	Organic carboxylic, sulfur or	561	Azo dye
	phosphorus acid or salt	562	Monoazo
530	Elemental metal or metal salt	563	Diazo
531	Synthetic resin or cellulose	564	.Silver compound sensitizer
	derivative containing		containing
532	Subjected to radiation, flame,	565	Achromatic image forming
	or corona discharge		organic compound
533	Polyester or polycarbonate	566	Developing or fixing agents
534	Next to polymer of		containing for liquid
	unsaturated monomer		processing
535	Polymer of unsaturated ester	567	Silver compound having
	or halide		specified crystal form, habit,
536	Polymer of unsaturated monomer		particle size or particle size
537	In nonradiation-sensitive		distribution
00,	layer including gelatin	568	Having particle size of 100
538	Fibrous, e.g., paper, textile,		millimicrons or less, e.g.,
330	etc.		Lippmann type, etc.
539	Gelatin other than radiation	569	Including manipulative
539		505	emulsification step
E 4.0	sensitive type	570	Spectral sensitizing
540	.Iron compound sensitizer	571	Mixed grain
E 4.1	containing	572	
541	.Identified radiation sensitive	5/2	Multiple sensitizers or
	composition with color	E 17.2	supersensitizing
	producing substance	573	Polyheteronuclear sensitizer
542	Silver compound sensitizer	574	Two or more cyanine
543	Coupler containing		sensitizers
544	And development inhibitor or	575	Inorganic material containing
	development inhibitor	576	Cyanine sensitizer
	releasing agent	577	Merocyanine compound
545	And identified binder	578	Polyhetero nuclear containing
546	And solvent or emulsifier or		at least three heterocyclic
	coating aid		nuclei
547	Direct positive	579	Four or more distinct
548	Polymeric or bis coupler		heterocyclic nuclei
549	Mixture of couplers	580	Styryl sensitizer
550	And chemical or optical	581	Cyanine sensitizer
	sensitizer	582	Methine linked six-membered
551	And antifoggant or color		heterocyclic rings
331	stabilizer	583	Containing odd number of
552	Phenol or naphthol coupler		methine groups
553	Substituted at coupling	584	Five or more methine groups
553		585	Three methine groups, i.e.,
	position with other than	202	carbocyanines
<b></b> 4	hydrogen	EO.C	_
554	2-pyrazolin-5-one coupler	586	Linking six-membered hetero
555	Substituted at coupling	E0E	to five-membered hetero
	position with other than	587	Hetero ring bridged or
	hydrogen		fused to hetero ring
556	Open chain keto-methylene	588	Hetero rings bridged or
	coupler		fused to carbocyclic rings
557	Substituted at coupling	589	Direct positive
	position with other than	590	Only one hetero ring fused
	hydrogen		or bridged to carbocyclic ring
558	Heterocyclic coupler	591	Two or more separate ring
559	Dye containing		structures
560	And optical sensitizer		

# 430 - 16 $\,$ CLASS 430 RADIATION IMAGERY CHEMISTRY: PROCESS, COMPOSITION, OR PRODUCT THEREOF

592	Intercyclic methine chain	625	Aziridine
	sensitizer	626	Triazine including
593	Methine linked hetero ring		hydrogenated triazine
	with hetero group bridged or	627	Resin or synthetic polymer
	fused thereto		containing
594	One or both methine linked	628	Protein or other natural
	rings carbocyclic		colloid or derivative
595	Odd number of carbons in		containing
	acyclic methine chain	629	Sulfur or sulfur compound
596	Fogged direct positive		containing
597	Identified desensitizer or	630	Heterocyclic compound
	electron acceptor containing		containing, e.g., heterocyclic
598	Fogging or nucleating agent		monomer, etc.
	containing	631	Film or film coating
599	Hypersensitizing or		improvement ingredient
	latensifying ingredient		containing, e.g., wetting
	containing		agent, coating aid,
600	Heterocyclic N, O, S, Se, or		plasticizer, antistatic agent,
	Te compound containing		etc.
601	Phosphorus compound	632	Rosin acid or derivative
602	Polyoxyalkylene compound	633	Higher fatty acid or
603	S, Se, or Te or compound		derivative
	thereof	634	Polycarboxylic or polysulfoxy
604	Heavy metal or compound		acid or derivative
	thereof	635	Carboxylic acid or derivative
605	Noble metal or compound	636	Sulfoxy compound or derivative
	thereof	637	Polyglycidol, polyglycol,
606	Desensitizing ingredient		polyoxyalkylene oxide, or
	containing		ether or ester thereof
607	Stabilizing or fog inhibiting	638	Alkyl or cycloalkyl alcohol or
	ingredient containing		ether or ester thereof
608	Inorganic material	639	Carbohydrate or derivative
609			containing
609 610	Synthetic organic polymer	640	containing Gelatin or derivative
	Synthetic organic polymerPhosphorus compound	640	_
610	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione,	640 641	Gelatin or derivative
610	<ul><li>Synthetic organic polymer</li><li>Phosphorus compound</li><li>Mercaptan, thioether, thione, disulfide or organic bisulfite</li></ul>		Gelatin or derivative containing
610 611 612	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compound		<pre>Gelatin or derivative   containingCellulose or derivative, e.g.,</pre>
610 611 612 613	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compound	641	<ul><li>Gelatin or derivative containing</li><li>Cellulose or derivative, e.g., regenerated cellulose, etc.</li></ul>
610 611 612 613 614	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ring	641	<ul><li>Gelatin or derivative containing</li><li>Cellulose or derivative, e.g., regenerated cellulose, etc.</li><li>Gelatin or derivative</li></ul>
610 611 612 613	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused	641 642	<ul><li>Gelatin or derivative containing</li><li>Cellulose or derivative, e.g., regenerated cellulose, etc.</li><li>Gelatin or derivative containing</li></ul>
610 611 612 613 614	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having	641 642 643	<ul> <li>Gelatin or derivative containing</li> <li>Cellulose or derivative, e.g., regenerated cellulose, etc.</li> <li>Gelatin or derivative containing</li> <li>Casein or derivative containing</li> </ul>
610 611 612 613 614 615	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atoms	641 642 643	<ul> <li>Gelatin or derivative containing</li> <li>Cellulose or derivative, e.g., regenerated cellulose, etc.</li> <li>Gelatin or derivative containing</li> <li>Casein or derivative containing</li> </ul>
610 611 612 613 614	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging	641 642 643	<ul> <li>Gelatin or derivative containing</li> <li>Cellulose or derivative, e.g., regenerated cellulose, etc.</li> <li>Gelatin or derivative containing</li> <li>Casein or derivative containing</li> </ul>
610 611 612 613 614 615	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging by radiation only	641 642 643 644	Gelatin or derivative containingCellulose or derivative, e.g., regenerated cellulose, etcGelatin or derivative containingCasein or derivative containing MISCELLANEOUS
610 611 612 613 614 615	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging by radiation onlySilver compound other than	641 642 643 644	<ul> <li>Gelatin or derivative containing</li> <li>Cellulose or derivative, e.g., regenerated cellulose, etc.</li> <li>Gelatin or derivative containing</li> <li>Casein or derivative containing</li> </ul>
610 611 612 613 614 615	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging by radiation onlySilver compound other than halide, per se, or composition	641 642 643 644	Gelatin or derivative containingCellulose or derivative, e.g., regenerated cellulose, etcGelatin or derivative containingCasein or derivative containing MISCELLANEOUS  -REFERENCE ART COLLECTIONS
610 611 612 613 614 615	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging by radiation onlySilver compound other than halide, per se, or composition for thermographic process	641 642 643 644	Gelatin or derivative containingCellulose or derivative, e.g., regenerated cellulose, etcGelatin or derivative containingCasein or derivative containing MISCELLANEOUS  -REFERENCE ART COLLECTIONS ELECTRIC OR MAGNETIC IMAGERY,
610 611 612 613 614 615	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging by radiation onlySilver compound other than halide, per se, or composition for thermographic processOrganic silver compound	641 642 643 644	Gelatin or derivative containingCellulose or derivative, e.g., regenerated cellulose, etcGelatin or derivative containingCasein or derivative containing MISCELLANEOUS  -REFERENCE ART COLLECTIONS  ELECTRIC OR MAGNETIC IMAGERY, E.G., XEROGRAPHY,
610 611 612 613 614 615 616 617	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging by radiation onlySilver compound other than halide, per se, or composition for thermographic processOrganic silver compound containing	641 642 643 644	Gelatin or derivative containingCellulose or derivative, e.g., regenerated cellulose, etcGelatin or derivative containingCasein or derivative containing MISCELLANEOUS  -REFERENCE ART COLLECTIONS  ELECTRIC OR MAGNETIC IMAGERY, E.G., XEROGRAPHY, ELECTROGRAPHY, MAGNETOGRAPHY,
610 611 612 613 614 615 616 617	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging by radiation onlySilver compound other than halide, per se, or composition for thermographic processOrganic silver compound containingAnd inorganic silver compound	641 642 643 644	Gelatin or derivative containingCellulose or derivative, e.g., regenerated cellulose, etcGelatin or derivative containingCasein or derivative containing MISCELLANEOUS  -REFERENCE ART COLLECTIONS  ELECTRIC OR MAGNETIC IMAGERY, E.G., XEROGRAPHY, ELECTROGRAPHY, MAGNETOGRAPHY, ETC., PROCESS, COMPOSITION, OR
610 611 612 613 614 615 616 617 618 619 620	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging by radiation onlySilver compound other than halide, per se, or composition for thermographic processOrganic silver compound containingAnd inorganic silver compoundSilver salt of organic acid	641 642 643 644 CROSS-	Gelatin or derivative containingCellulose or derivative, e.g., regenerated cellulose, etcGelatin or derivative containingCasein or derivative containing MISCELLANEOUS  -REFERENCE ART COLLECTIONS  ELECTRIC OR MAGNETIC IMAGERY, E.G., XEROGRAPHY, ELECTROGRAPHY, MAGNETOGRAPHY, ETC., PROCESS, COMPOSITION, OR PRODUCT
610 611 612 613 614 615 616 617 618 619 620 621	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging by radiation onlySilver compound other than halide, per se, or composition for thermographic processOrganic silver compound containingAnd inorganic silver compoundSilver salt of organic acidHardening ingredient containing	641 642 643 644	Gelatin or derivative containingCellulose or derivative, e.g., regenerated cellulose, etcGelatin or derivative containingCasein or derivative containing MISCELLANEOUS  -REFERENCE ART COLLECTIONS  ELECTRIC OR MAGNETIC IMAGERY, E.G., XEROGRAPHY, ELECTROGRAPHY, MAGNETOGRAPHY, ETC., PROCESS, COMPOSITION, OR PRODUCT .Donor-acceptor complex
610 611 612 613 614 615 616 617 618 619 620 621 622	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging by radiation onlySilver compound other than halide, per se, or composition for thermographic processOrganic silver compound containingAnd inorganic silver compoundSilver salt of organic acidHardening ingredient containingVinylidene compound	641 642 643 644 CROSS-	Gelatin or derivative containingCellulose or derivative, e.g., regenerated cellulose, etcGelatin or derivative containingCasein or derivative containing MISCELLANEOUS  -REFERENCE ART COLLECTIONS  ELECTRIC OR MAGNETIC IMAGERY, E.G., XEROGRAPHY, ELECTROGRAPHY, MAGNETOGRAPHY, ETC., PROCESS, COMPOSITION, OR PRODUCT .Donor-acceptor complex photoconductor
610 611 612 613 614 615 616 617 618 619 620 621	Synthetic organic polymerPhosphorus compoundMercaptan, thioether, thione, disulfide or organic bisulfiteOrganic metal compoundHeterocyclic compoundPolyhetero atom ringPolyhetero atom ring fused to another ring having polyhetero atomsComposition for visible imaging by radiation onlySilver compound other than halide, per se, or composition for thermographic processOrganic silver compound containingAnd inorganic silver compoundSilver salt of organic acidHardening ingredient containing	641 642 643 644 CROSS-	Gelatin or derivative containingCellulose or derivative, e.g., regenerated cellulose, etcGelatin or derivative containingCasein or derivative containing MISCELLANEOUS  -REFERENCE ART COLLECTIONS  ELECTRIC OR MAGNETIC IMAGERY, E.G., XEROGRAPHY, ELECTROGRAPHY, MAGNETOGRAPHY, ETC., PROCESS, COMPOSITION, OR PRODUCT .Donor-acceptor complex

902	.Electrically charging radiation- conductive surface	935	COATING PROCESS MAKING RADIATION SENSITIVE ELEMENT
970	.Radiation sensitive composition	936	COBALT COMPLEX CONTAINING
	or product containing	937	CORONA DISCHARGE PROCESS
	specified antioxidant	938	DEFECT COATING
903	One component toner	939	DIMENSIONALLY STABLE MATERIAL
904	.Polymer in developer	940	DIRECT POSITIVE MATERIAL
501	IMAGING AFFECTING PHYSICAL	941	DYE MORDANT
	PROPERTY OR RADIATION	942	ELECTRON BEAM
	SENSITIVE MATERIAL, OR	943	HYDROGEN PEROXIDE TREATMENT
	PRODUCING NONPLANAR OR	944	INFRARED
	PRINTING SURFACE - PROCESS,	_	
	COMPOSITION, OR PRODUCT	945	LASER BEAM
	.Radiation sensitive composition	946	LENTICULAR
	or product or process of	947	LIGHT SENSITIVE TITANIUM COMPOUND
	making	0.4.0	CONTAINING
905	Binder containing	948	LIPPMANN
906	Polyamide or polyurethane	949	LITHOGRAPHIC EMULSION
907	Polyolefin or halogen	950	MATTING OR OTHER SURFACE
507	containing		REFLECTIVITY ALTERING MATERIAL
908	Polyester	951	MAKING CAMERA COPY, E.G.,
909	Vinyl alcohol polymer or		MECHANICAL NEGATIVE, ETC.
202	derivative	952	MULTIPLE IMAGE PRODUCING ON
910	Polymer of unsaturated acid or		SINGLE RECEIVER
910	ester	953	NEUTRON BEAM
911	Cellulosic	954	NONRESINOUS ADDITIVE TO PROMOTE
912			INTERLAYER ADHESION IN ELEMENT
	With plasticizer	955	PRECURSOR COMPOUND
913 914	Initiator containingCationic or anionic	956	.Interlayer correction coupler
			(ICC)
915	Redox or dye sensitizer	957	.Development inhibitor releaser
916	Free radical		(DIR)
917	With inhibitor or stabilizer	958	.Development dye releaser (DDR)
918	Hydroxyl or carbonyl group	959	.Blocked developers
	containing as sole functional	960	.Blocked restrainers
0.1.0	groups	961	PROTECTIVE OR ANTIABRASION LAYER
919	Nitrogen compound containing	962	RADIATION-CHROMIC COMPOUND
920	Nitrogen in heterocyclic ring	963	RAPID ACCESS PROCESSING
921	Sulfur compound containing	964	THERMAL IMAGING COMPOSITION
922	Sulfur in heterocyclic ring	965	TONER CONTAINING
923	Carbonyl compound containing	966	X-RAY
924	Carbonyl in heterocyclic	967	.X-ray exposure process
	compound		
925	Halogen compound containing		
926	Spectral sensitizer containing		
927	Radiation-activated cross-	FORETGN	ART COLLECTIONS
	linking agent containing	101121011	<u> </u>
928	AERIAL FILMS OR PROCESSES	EOD OOO	CLASS-RELATED FOREIGN DOCUMENTS
	SPECIFICALLY ADAPTED FOR	101000	CLIDD REMIED FOREIGN DOCUMENTS
	AERIAL RADIAION IMAGERY		
929	ANTIBRONZE AGENT OR PROCESS		
930	ANTICURL LAYER		
931	ANTI-ULTRAVIOLET FADING		
932	BINDER-FREE EMULSION		
933	BRIGHTENER CONTAINING		
934	CINE FILM		

Any foreign patents or nonpatent literature from subclasses that have been reclassified have been transferred directly to the FOR Collections listed below. These Collections contain ONLY foreign patents or nonpatent literature. The parenthetical references in the Collection titles refer to the abolished subclasses from which these Collections were derived.

FOR 117 ... Cleaning radiation-conductive surface (430/125)

FOR 118 .. Transfer of image to different surface (430/126)

### ELECTRIC OR MAGNETIC IMAGERY, E.G., XEROGRAPHY, ELECTROGRAPHY, MAGNETOGRAPHY, ETC., PROCESS, COMPOSITION, OR PRODUCT (430/31)

- FOR 100 .To produce color reproduction (i.e., color named, or more than one color specified) (430/42)
- FOR 101 .. Color correction (430/43)
- FOR 102 .. Manipulation of color separation image to obtain multicolor image in registration (430/44)
- FOR 103 .. Identified developing composition or identified developing feature (430/45)
- FOR 104 .. Identified radiation-conductive element or composition (430/ 46)
- FOR 105 .. Identified receptor or named image transfer feature (430/
- FOR 106 .To produce printing surface (430/49)
  - .Post imaging process, finishing, or perfecting composition or product (430/97)
- FOR 107 ...Fixing image by pressure only (430/98)
- FOR 108 .. Fixing image by heated metal roller (430/99)
- FOR 109 ..Liquid development (430/117)
- FOR 110 ...Wetting development (430/118)
- FOR 111 ... Charged solid particles deposited out of insulating liquid carrier (430/119)
- FOR 112 ..Dry powder developing (430/120)
- FOR 113 ... Cascade (430/121)
- FOR 114 ... Using magnetic brush (430/122)
- FOR 115 ... Using fur brush (430/123)
- FOR 116 .. Fixing image (430/124)