
100	SEED COATED WITH AGRICULTURAL CHEMICALS OTHER THAN FERTILIZERS	117	<pre>.Micro-organisms or from micro- organisms (e.g., fermentates, fungi, bacteria, viruses,</pre>
101	FERTILIZERS WITH INSECTICIDE,	110	etc.)
	FUNGICIDE, DISINFECTANT, OR DEODORANT	118 119	.Plural active ingredientsInorganic active ingredient
102	<pre>.From sewage, human, or animal excrements (e.g., night soil,</pre>	120	containingInorganic active ingredient
	manure, guano, etc.)		contains heavy metal or aluminum
103	ANTIDOTES (E.G., SAFENERS,	121	
	ANTAGONISTS, ETC.)	121	With an organic active
104	.Hetero ring containing antidote	122	ingredient
105	Hetero ring is six-membered including nitrogen	122	Inorganic active ingredient contains boron
106	Hetero ring is five-membered	123	With an organic active
100	having two or more ring hetero		compound
	atoms of which at least one is	124	Hetero ring containing
	nitrogen (e.g., thiazoles,	125	Containing -C(=X)X- or -
	etc.)		C(=X)NH-, wherein the X`s are
107	Having -C(=X)-, wherein X is		the same or diverse chalcogens
107	chalcogen, bonded directly to		and substitution may be made
	ring nitrogen of the five-		for hydrogen only (e.g.,
	membered hetero ring		phenoxyacetic acids, ureas,
108	Oxygen containing hetero ring		etc.)
100		126	Heavy metal or aluminum
109	.Antidote contains cyano or		containing active ingredient
	isocyano bonded directly to carbon	127	Phosphorus containing active
110			ingredient wherein the
110	.Antidote contains -C(=X)X-, wherein the X`s are the same		phosphorus is other than
	or diverse chalcogens (e.g.,		solely as part of an inorganic
	carbamates, thiocarbamates,		ion in an addition salt
	carbamates, throcarbamates, carboxylic acids, etc.)	128	With an active heterocyclic
111	.Antidote contains organic		compound
TTT	nitrogen compound wherein the	129	Hetero ring containing active
	nitrogen, other than as nitro		ingredient
	or nitroso, is attached	130	Hetero ring is six-membered
	directly or indirectly to	130	including nitrogen
	carbon by nonionic bonding	131	The hetero ring also contains
112	Carboxamides (i.e., R-C(=0)NH2,	101	sulfur (e.g.,
112	wherein R is hydrogen or		benzothiadiazinones, etc.)
	carbon, and substitution may	132	With additional hetero ring
	be made for the hydrogens on	132	active ingredient
	the nitrogen only; e.g.,	133	The hetero ring consists of
	dichloracetamides, etc.)	133	three nitrogens and three
113	PLANT GROWTH REGULATORS WITH SOIL		carbons
113	LIFE EXTENDERS	134	With additional hetero ring
114	COMPOSITIONS FOR PRESERVATION OR	101	active ingredient
	MAINTENANCE OF CUT FLOWERS	135	With an active ingredient
115	.Containing organic nitrogen	133	containing -C(=X)X-, wherein
	compounds		the X's are the same or
116.1	PLANT GROWTH REGULATING		diverse chalcogens (e.g.,
TTO.T	COMPOSITIONS (E.G.,		thiocarbamates, carbamates,
	HERBICIDES, ETC.)		carboxylic acids, etc.)



164	Boron, silicon, heavy metal, or aluminum containing active ingredient	181	<pre>0xygen attached indirectly to the five-membered hetero ring by acyclic nonionic</pre>
165			bonding
103	Phosphorus containing active ingredient wherein the phosphorus is other than solely as part of an inorganic ion in an addition salt	182 183	Active ingredient contains - C(=X)X-, wherein the X`s are the same or diverse chalcogensActive ingredient contains
166	Hetero ring containing active ingredient	103	organic nitrogen, other than as nitro or nitroso, wherein
167	Hetero ring is six-membered including nitrogen		the nitrogen is attached directly or indirectly to
168	Plural ring nitrogens in the hetero ring	184	carbon by nonionic bonding .Desuckering or sucker control
169	Hetero ring is five-membered		agent
100	having two or more ring hetero atoms of which at least one is	185	Hetero ring containing active ingredient
		186	Active ingredient contains
170	nitrogenRing chalcogen in the hetero ring	100	organic nitrogen, other than as nitro or nitroso, wherein
171	<pre>Active ingredient contains - C(=X)X-, wherein the X`s are the same or diverse chalcogens</pre>		the nitrogen is attached directly or indirectly to carbon by nonionic bonding
172	Nitrogen or additional	187	.Inorganic active ingredient
172	chalcogen bonded directly to the carbon of the -C(=X)X- group (e.g., thiocarbamates,		which contains boron, silicon, phosphorus, heavy metal, or aluminum
	carbamates, xanthates, etc.)	188	.Inorganic active ingredient is
173	Active ingredient contains		elemental nitrogen, elemental
173	nitrogen, other than as nitro or nitroso, wherein the		sulfur, or is a compound of nitrogen or sulfur
	nitrogen is attached directly or indirectly to carbon by	189	Organic active compound containing
	nonionic bonding	190	Heavy metal or aluminum
174		100	containing
175	.Stunting or dwarfing agent	191	_
1/5	Phosphorus containing active	191	Hetero ring containing
	ingredient wherein the	192	Group IV or V heavy metal
	phosphorus is attached	100	(e.g., Sn, As, Ti, etc.)
	directly or indirectly to	193	Boron or silicon containing
100	carbon by nonionic bonding	194	Phosphorus containing wherein
176	Hetero ring containing active ingredient		the phosphorus is other than solely as part of an inorganic
177	Hetero ring is six-membered		ion in an addition salt
	including nitrogen	195	Hetero ring containing
178	<pre>Chalcogen, nitrogen, or - C(=X)-, wherein X is</pre>	196	Ring chalcogen in the hetero ring (e.g., morpholines, etc.)
	chalcogen, bonded directly to ring carbon of the six-	197	Plural ring nitrogens in the hetero ring
	membered hetero ring	198	Having $-C(=X)-$, wherein X is
179	Hetero ring is five-membered including nitrogen		chalcogen, bonded directly to the phosphorus
180	Plural ring nitrogens in the hetero ring	199	Nitrogen bonded directly to the phosphorus
		200	Plural nitrogens bonded directly to the phosphorus

201	Nitrogen attached indirectly	220	Having -C(=X)-, wherein X is
	to the phosphorus by acyclic		chalcogen, bonded directly to
202	nonionic bondingThe nitrogen is part of a		ring nitrogen of the hetero
202	cyano or isocyano group	221	Hetero ring is six-membered
203	Nitrogen or chalcogen bonded		including nitrogen and sulfur
	directly to the nitrogen	222	Plural ring nitrogens in the
204	Having $-C(=X)X-$, wherein the		hetero ring (e.g.,
	X is chalcogen, bonded directly to the nitrogen	223	thiadiazines, etc.)Hetero ring is six-membered
205	Additional -C(=X)-, or	223	including nitrogen and oxygen
	additional nitrogen attached	224	1,4-oxazines (including
	indirectly to the phosphorus		hydrogenated)
206	by acyclic nonionic bonding	225	Additional hetero ring
206	Containing -C(=X)X-, wherein the X`s are the same or	226	<pre>containingNitrogen or -C(=X)-, wherein</pre>
	diverse chalcogens (e.g., N-	220	X is chalcogen, bonded
	phosphonomethylglycines, etc.)		directly to ring nitrogen of
207	Carbon bonded directly to the		the oxazine ring
208	phosphorus	227	Hetero ring is six-membered
200	Halogen attached indirectly to the phosphorus by acyclic		consisting of three nitrogens and three carbons
	nonionic bonding	228	Polycyclo ring system having
209	Hetero ring containing		the six-membered hetero ring
210	Acyclic urea or thiourea		as one of the cyclos
	bonded directly to ring carbon	229	Asymmetrical (e.g., 1,2,4-
	of the hetero ring (i.e., HNH- C(=X)-NH-, wherein X is sulfur	230	triazines, etc.)Additional hetero ring
	or oxygen and substitution may	230	containing
	be made for hydrogen only)	231	Nitrogen bonded directly to
211	Sulfonyl bonded directly to		ring carbon of the six-
	<pre>the urea or thiourea nitrogen (e.g., N-phenylsulfonyl-N`-</pre>	232	membered hetero ring
	pyridinylureas, etc.)	232	<pre>Plural nitrogens bonded directly to ring carbons of</pre>
212	The hetero ring consists of		the six-membered hetero ring
	three nitrogens and three	233	Chalcogen, $-C(=X)-$, wherein
213	carbonsAdditional hetero ring		X is chalcogen, or cycloalkyl
213	containing		bonded directly to one of the nitrogens
214	The hetero ring consists of	234	The nitrogens are further
	two nitrogens and four carbons		bonded to hydrogen or
215	Additional hetero ring		hydrocarbyl only
216	containingThe hetero ring is five-	235	Hetero ring is six-membered
210	membered including nitrogen		consisting of two nitrogens and four carbons (e.g., 1,4-
217	Plural ring nitrogens and a		diazines, etc.)
	single ring chalcogen in the	236	1,2-diazines (including
	hetero ring (e.g., 1,3,4-	025	hydrogenated)
218	thiadiazoles, etc.)Hetero ring contains at least	237	Nitrogen attached directly to the diazine ring by
210	seven members including		nonionic bonding
	nitrogen	238	Chalcogen bonded directly to
219	Additional hetero ring		ring carbon of the diazine
	containing		ring

239	1,3-diazines (including hydrogenated)	258	Containing -C(=X)X-, wherein the X`s are the same
240	Polycyclo ring system having the diazine ring as one of the cyclos	259	or diverse chalcogensNitrogen or sulfur attached directly or
241	Three or more ring hetero atoms in the polycyclo ring system		<pre>indirectly to the -C(=X)X- group by acyclic nonionic bonding</pre>
242	<pre>Chalcogen bonded directly to ring carbon of the diazine ring</pre>	260	<pre>Nitrogen, other than as nitro or nitroso, or -C(=X)-, wherein X is chalcogen, bonded</pre>
243	<pre>Plural chalcogens bonded directly to ring carbons of the diazine ring (e.g., uracils, etc.)</pre>	261	directly to ring carbon of the six-membered hetero ringHetero ring is five-membered having two or more ring hetero
244	Hetero ring is six-membered consisting of one nitrogen and	262	atoms of which at least one is nitrogen
245	five carbonsPolycyclo ring system having	202	<pre>1,2,4-thiadiazoles (including hydrogenated)</pre>
	the six-membered hetero ring as one of the cyclos	263	<pre>1,3,4-thiadiazoles (including hydrogenated)</pre>
246	<pre>Bicyclo ring system having the six-membered hetero ring as one of the cyclos</pre>	264	<pre>Diazole ring (including hydrogenated) attached directly to the thiadiazole</pre>
247	Quinolines or isoquinolines (including hydrogenated)	265	ring by nonionic bondingOxadiazoles (including
248	Piperidines		hydrogenated)
249	Having $-C(=X)-$, wherein X is	266	1,3-thiazoles (including
	chalcogen, bonded directly to		hydrogenated)
	ring nitrogen of the piperidine ring	267	Benzothiazoles (including hydrogenated)
250	Plural pyridine or partially hydrogenated pyridine rings	268	Nitrogen attached directly to the thiazole ring by
251	Additional hetero ring containing	269	nonionic bonding1,2-thiazoles (including
252	The additional hetero ring		hydrogenated)
	is five-membered including nitrogen	270	<pre>1,3-oxazoles (including hydrogenated)</pre>
253	Plural ring nitrogens in the additional hetero ring	271	<pre>1,2-oxazoles (including hydrogenated)</pre>
254	Chalcogen bonded directly to ring carbon of the six-	272	1,2,4-triazoles (including hydrogenated)
255	membered hetero ring	273	Chalcogen, nitrogen, or -
255	<pre>Nitrogen, other than as nitro or nitroso, or -C(=X)-, wherein X is chalcogen, bonded directly to ring carbon of the</pre>		<pre>C(=X)-, wherein X is chalcogen, bonded directly to ring carbon of the triazole ring</pre>
	six-membered hetero ring	274	Nitrogen or acyclic carbon
256	Benzene ring bonded directly to the chalcogen		chain containing carbon to carbon unsaturation attached
257	Containing -C(=X)NH-, wherein X is chalcogen and		directly or indirectly to the triazole ring by acyclic
	substitution may be made for hydrogen only	275	<pre>nonionic bonding1,3-diazoles (including hydrogenated)</pre>

276	<pre>Polycyclo ring system having the diazole ring as one of the cyclos (e.g., benzimidazoles, etc.)</pre>	296	Polycyclo ring system having the hetero ring as one of the cyclos (e.g., methylenedioxyphenyls, etc.)
277	Chalcogen or nitrogen bonded directly to ring carbon of the diazole ring	297	Polycyclo ring system having the hetero ring as one of cyclos
278	<pre>Plural chalcogens bonded directly to ring carbons of the diazole ring</pre>	298	Bicyclo ring system having the hetero ring as one of the cyclos
279	Having -C(=X)-, wherein X is chalcogen, bonded directly to ring carbon of the diazole	299	Chalcogen or -C(=X)-, wherein X is chalcogen, bonded directly to the hetero ring
280	<pre>ring1,2-diazoles (including hydrogenated)</pre>	300	<pre>Containing -NH-C(=X)X-, wherein the X`s are the same or diverse chalcogens and</pre>
281	Polycyclo ring system having the diazole ring as one of the cyclos		<pre>substitution may be made for hydrogen only (e.g., carbamates, thiocarbamates,</pre>
282	Chalcogen or nitrogen bonded		etc.)
	directly to ring carbon of the	301	Plural -NH-C(=X)X- groups
283	diazole ringHetero ring is five-membered	302	Nitrogen, cyano, chalcogen, or additional -C(=X)- bonded
	consisting of one nitrogen and	303	directly to the nitrogen
204	four carbons	303	Nitrogen or additional chalcogen attached indirectly
284	<pre>Polycyclo ring system having the five-membered hetero ring as one of the cyclos (e.g.,</pre>		to the nitrogen by acyclic nonionic bonding
	indoles, etc.)	304	Benzene ring bonded directly
285	The ring nitrogen is bonded	301	to the nitrogen
203	directly to two ring carbons	305	Benzene ring attached
	of the same cyclo which		indirectly to the nitrogen by
	carbons are members of one		nonionic bonding
	cyclo only (e.g., isoindoles,	306	Containing $-X-C(=X)X-$, wherein
	hydrogenated isoindoles, etc.)		the X`s are the same or
286	Benzene ring bonded		diverse chalcogens (e.g.,
	directly to the ring nitrogen		carbonates, thiocarbonates,
	of the five-membered hetero		<pre>xanthates, etc.)</pre>
	ring	307	Containing $-C(=X)X-$, wherein
287	Having $-C(=X)-$, wherein X is		the X`s are the same or
	chalcogen, bonded directly to		diverse chalcogens, and at
	the five-membered hetero ring		least one X is other than
288	Sulfur containing hetero ring		oxygen (e.g.,
289	The hetero ring is five- membered	308	thiocarboxylates, etc.)Carbon bonded directly to -NCX
290	Plural ring hetero atoms in the hetero ring		or -XCN, wherein X is chalcogen (e.g., cyanate,
291	Oxygen containing hetero ring		thiocyanate, or
292	The hetero ring is six-		isothiocyanate, etc.)
	membered	309	Cyano or isocyano bonded
293	Plural ring oxygens in the		directly to carbon
	hetero ring	310	Benzene ring bonded directly
294	The hetero ring is five- membered		to the cyano or isocyano group
295	Plural ring oxygens in the hetero ring		

311	Two benzene rings bonded directly to the same oxygen (e.g., phenoxyphenyl compounds, etc.)	323	Oxygen is bonded directly to the benzene ring and is part of an acyclic chain between the benzene ring and a -
312	<pre>Nitrogen, other than as nitro or nitroso, attached indirectly to the cyano or</pre>		<pre>C(=0)0- group (e.g., 2,4- dichlorophenoxyacetic acids, etc.)</pre>
313	<pre>isocyano group by nonionic bondingCarboxylic acid ester (i.e., Z-</pre>	324	The benzene ring is bonded directly to the carbon of a - C(=0)0- group (e.g., benzoic
	C(=0)0- wherein Z is hydrogen or an organic radical bonded to the -C(=0)- group by a	325	acids, etc.)Containing halogen bonded directly to carbon (e.g.,
	carbon and the single bonded oxygen of the -C(=0)0- group is bonded directly to carbon, which carbon may be single bonded to any atom but may be	326	trichloroacetates, etc.)Containing nitrogen, other than as nitro or nitroso, attached directly or indirectly to carbon by nonionic bonding
314	multiple bonded only to carbon)Z contains a benzene ring	327	Ureas or thioureas (i.e., HNH- $C(=X)$ -HNH, wherein X is oxygen
314	Z contains a benzene ring		or sulfur and substitution may be made for hydrogen only)
010	nitrogen, other than as nitro or nitroso, attached directly or indirectly to the benzene ring by nonionic bonding	328	Nitrogen or -C(=X)- attached directly to urea or thiourea nitrogen by nonionic bonding (e.g., biurets,
316	Z contains two benzene rings		semicarbazones, etc.)
	<pre>bonded directly to the same chalcogen (e.g., phenoxybenzoates, etc.)</pre>	329	Sulfur attached directly or indirectly to urea or thiourea nitrogen by nonionic bonding
317	<pre>Z contains oxygen bonded directly to the benzene ring and indirectly bonded to the - C(=0)0- group through an</pre>	330	Benzene ring attached directly or indirectly to urea or thiourea nitrogen by nonionic bonding
	<pre>acyclic carbon or acyclic carbon chain (e.g., phenoxyacetates, etc.)</pre>	331	<pre>Nitrogen, other than as nitro or nitroso, or -C(=X)-, attached indirectly to the</pre>
318	The benzene ring is bonded directly to the carbon of the -C(=0)0- group (e.g., benzoates, etc.)		urea or thiourea nitrogen by nonionic bonding, or alicyclic ring attached directly or indirectly to urea or thiourea
319	Z contains nitrogen, sulfur,		nitrogen by nonionic bonding
	or halogen attached indirectly to the -C(=0)0- group by	332	Plural benzene rings containing
320	nonionic bondingCarboxylic acid, carboxylic acid salt, carboxylic acid anhydride, or carboxylic acid halide	333	<pre>Containing -NH-(0=)S(=0)-, wherein substitution may be made for hydrogen only (e.g., sulfonamides, sulfamides, etc.)</pre>
321 322	Benzene ring containingNitrogen, other than as nitro or nitroso, attached directly or indirectly to the benzene ring by nonionic bonding	334	Carboxamides or thiocarboxamides (i.e., R- (C=X)NH2, wherein X is oxygen or sulfur, R is carbon or hydrogen, and substitution may be made for hydrogen only)

335	Plural R-C(=X)NH2 groups containing	356 357	Halogenated hydrocarbonsHydrocarbons
336 337	R contains benzene ringThe benzene ring is bonded	358	.Designated nonactive ingredient containing
	<pre>directly to the carbon of the -(C=X)NH2 group (e.g., benzamides, etc.)</pre>	359	Microencapsulating or encapsulating agent
338	Chalcogen is bonded directly	360	<pre>Solid resin containing (e.g., film-forming resins, etc.)</pre>
	to the benzene ring and is part of an acyclic chain between the benzene ring and the -C(=X)NH2 group (e.g.,	361	The resin is derived from ethylenically unsaturated monomer only (e.g., addition resins, natural rubbers, etc.)
339	<pre>phenoxyalkylamides, etc.)R is acyclic</pre>	362	<pre>Liquid carrier containing (e.g., water, hydrocarbon,</pre>
340	Halogen bonded directly to		etc.)
341	carbon in R (e.g., chloroacetamides, etc.)Benzene ring bonded	363	Emulsion or foam (i.e., liquid continuous phase, and liquid
341	directly to the carboxamide or thiocarboxamide nitrogen	364	or gas discontinuous phase)Emulsifier or foaming agent containing a sulfonic acid, a
342	The carboxamide or thiocarboxamide nitrogen and a chalcogen are directly attached to the same acyclic	265	<pre>metal salt thereof, or an unsubstituted or N- monosubstituted amide thereof</pre>
	carbon or acyclic carbon chain	365	Organic nitrogen containing solvent, emulsifier, or
343	Nitrogen double bonded directly to carbon		foaming agent of formula R1N(R2)2
344	Oximes (i.e., HCN=N-OH,	366	Gel (i.e., a colloidal
	wherein substitution may be made for hydrogen only)		solution of a liquid in a solid
345	Quaternary ammonium containing	367	Granular or pulverulent
346	Containing -N=N-, -NH-NH-, or -NH-X-, wherein X is chalcogen and substitution may be made for hydrogen only		designated nonactive ingredient containing
347	The nitrogen and a nitro group		
	<pre>bonded directly to the same benzene ring (e.g., nitroanilines, etc.)</pre>	FOREIGN	ART COLLECTIONS
348	Ketones or aldehydes	FOR 000	CLASS-RELATED FOREIGN DOCUMENTS
349	<pre>Sulfur, selenium, or tellurium compound (e.g., thioalcohols, mercaptans, etc.)</pre>		
350	Chalcogen bonded directly to sulfur (e.g., sulfones, etc.)		
351	Ethers		
352	Plural benzene rings bonded directly to the same oxygen		
353	Hydroxy bonded directly to carbon (H of -OH may be replaced by a substituted or unsubstituted ammonium ion or a Group IA or IIA light metal)		
354	Benzene ring containing		
355	Denzence ring containingNitro containing (e.g., nitrobenzenes, etc.)		