This Cla	ass 568 is considered to be an	27	Oxygen bonded directly to sulfur (e.g., sulfoxides,
	l part of Class 260 (see the Class		etc.)
Class in	edule for the position of this n schedule hierarchy). This Class all pertinent definitions and	28	Plural oxygens bonded directly to the same sulfur (e.g., sulfones, etc.)
class l	ines of Class 260.	29	Thiol or thioether containing
		30	Nitrogen containing
		31	Carbonyl containing (e.g.,
			ketone containing, etc.)
	ORGANIC COMPOUNDS (CLASS 532,	32	Oxy containing
	SUBCLASS 1)	33	0xy bonded directly to a
1	.BORON CONTAINING		ring
2	Phosphorus containing	34	Plural rings containing
3	Plural borons containing	35	Plural halogens containing
4	Ten or more borons containing	36	Nitrogen or plural sulfurs
-	(e.g., decaborane, etc.)		containing
5	Sulfur, oxygen, halogen or	37	Carbonyl or oxy containing
	Group IA or IIA light metal		(e.g., ketone containing,
	containing		etc.)
6	Sulfur, oxygen, halogen or	38	Thioethers
	Group IA or IIA light metal	39	Oxygen containing
	containing	40	Group IA or IIA light metal
7	Tri-acyclic-hydrocarbyl boron		containing
8	.PHOSPHORUS CONTAINING	41	Carbonyl containing (e.g.,
9	Phosphonium derivative		aldehyde containing, etc.)
10	Plural phosphori containing	42	Ketone containing
11	Sulfur or oxygen containing	43	0xy or halogen containing
12	Ring phosphorus containing	44	Nitrogen containing
13	Sulfur or oxygen containing	45	Plural oxygens containing
14	Sulfur or oxygen bonded	46	Polyhydroxy
	directly to phosphorus	47	Plural rings containing
15	And sulfur or oxygen bonded	48	Plural rings bonded
	indirectly to phosphorus		directly to the same sulfur
16	Halogen containing	49	Plural rings containing
17	Benzene ring containing	50	Thiol or plural thioethers
18	.SULFUR CONTAINING		containing
19	With preservative or stabilizer	51	$\ldots$ 0xygen bonded directly to a
20	Thiocarbonyl containing (e.g.,		ring
	thioketone containing, etc.)	52	Plural rings containing
21	Sulfur bonded directly to	53	Plural rings bonded
	sulfur (e.g., disulfides,		directly to the same sulfur
	etc.)	54	$\ldots$ Sulfur bonded directly to a
22	Oxygen containing		ring
23	Sulfur or oxygen bonded	55	Hydroxy containing
	directly to a ring	56	Halogen containing
24	Halogen containing	57	Thiol or plural thioethers
25	Benzene ring containing		containing
26	Preparing by reacting a thiol	58	Plural rings containing
	or mercaptide (i.e., reactant	59	Acyclic
	contains -SH or -SM where M is	60	Symmetrical (e.g., dimethyl
	a Group IA or IIA light metal)		sulfide, etc.)

61	Thiol or mercaptide containing	316	Halogen containing reactant
	(i.e., -SH or -SM containing	317	Alicyclic unsaturated or
	where M is a Group IA or IIA		acyclic unsaturated
	light metal)		hydrocarbon reactant
62	Oxygen containing	318	Gaseous hydrogen reactant
63	Carbonyl containing (e.g.,		or Group IA or IIA light metal
	ketone containing, etc.)		containing material utilized
64	$\dots$ 0xygen bonded directly to a	319	Reactant contains -C00-
6.5	ring	200	group
65	Halogen containing	320	Oxidation of organic
66	Polythiol		compound utilizing gaseous
67	Benzene ring containing	321	oxygen
68	Preparing by utilizing	321	Plural rings in ketone prepared
	halogen, heavy metal, or aluminum containing material	322	0xy containing reactant
69	Acyclic	323	Halogen containing reactant
70	Preparing by reacting	323	(e.g., dehydrohalogenation,
70	hydrogen sulfide or a metal		etc.)
	hydrosulfide	324	Purification or recovery
71	And an organic hydroxy	325	Plural rings containing
. –	containing reactant (H of -OH	326	Polycyclo ring system
	may be replaced by a Group IA	327	Bicyclo ring system
	or IIA light metal)	328	Naphthyl ring system
72	And a reactant having carbon	329	Alicyclic ring containing
	to carbon unsaturation	330	Five-membered alicyclic
73	Boron, phosphorus, or		ring
	silicon containing material	331	Carbonyl bonded directly to
	utilized		benzene ring
74	Halogen containing	332	Two benzene rings bonded
75	Oxygen containing		directly to the same carbonyl
76	Nitro or nitroso containing		(i.e., benzophenones)
77	Ring containing	333	Oxy containing
300	OXYGEN CONTAINING (E.G.,	334	Chalcones
301	PERCHLORYLBENZENE, ETC.)	335	Carbonyl bonded directly to
301	Ketenes (e.g., halogenated ketenes, etc.)		benzene ring (i.e.,
302	Ketene per se (i.e., HCH=C=O)	226	acetophenones)
302	Ketones	336 337	Oxy containing
304	With preservative or	337	Oxy bonded directly to benzene ring
304	stabilizer	338	Processes of preparing,
305	Nitrogen containing	330	purifying, or recovering
306	Benzene ring containing		alicyclic ring containing
307	Acyclic		ketones
308	Benzene ring containing	339	Camphor per se or salt
309	Processes		thereof
310	Isomerization	340	Purification or recovery
311	Carbon monoxide or peroxy	341	Isomerization
	containing reactant	342	Carbon monoxide or peroxy
312	Aldehyde or ketone reactant		containing reactant
313	Aldehyde reacted with	343	Aldehyde or ketone reactant
	ketone	344	Oxidation utilizing gaseous
314	Reactant contains -COO-		oxygen
	group	345	Aldehyde reacted with ketone
315	0xy containing reactant		

346	Reactant contains -COO-	375	Containing alicyclic ring having at least seven members
347	Oxy containing reactant	376	Six-membered alicyclic ring
348	Halogen containing reactant	3.0	containing
349	Acyclic unsaturated	377	Unsaturation in the ring
349	_		
250	hydrocarbon reactant	378	2,6,6-Trialkylcyclohexenyl
350	Gaseous hydrogen reactant or		(e.g., vitamin A derivatives,
	Group IA or IIA light metal		etc.)
	containing material utilized	379	Five-membered alicyclic ring
351	Nitrogen containing material		containing
	utilized	380	Halogen containing
352	Boron, phosphorus, or sulfur	381	Four-membered alicyclic ring
	containing material utilized		containing
353	Ketone reacted with ketone	382	Acyclic
354	Reactant contains -COO- group	383	Processes
355	Plural -C00- groups in the	384	Isomerization
333	reactant	385	
356			Peroxy containing reactant
330	Carbon to carbon	386	Ring containing reactant
0.55	unsaturation in the reactant	387	Carbon monoxide reactant
357	Oxidation of organic compound	388	Aldehyde or ketone reactant
	utilizing gaseous oxygen	389	Oxidation of organic
358	Plural stages each having		compound utilizing gaseous
	oxidation		oxygen
359	Boron containing material	390	Aldehyde reacted with
	utilized		ketone
360	Heavy metal containing	391	Oxy containing reactant
	material utilized	392	The oxy and the aldehyde
361	Oxy containing reactant		or ketone are in the same
362	Phenol containing reactant		reactant
363	Inorganic oxygen containing	393	Halogen containing reactant
303	reactant	394	The halogen and the
264		394	5
364	Halogen containing reactant		aldehyde or ketone are in the
365	Unsaturated hydrocarbon	205	same reactant
	reactant	395	Acyclic unsaturated
366	Purification or recovery		hydrocarbon reactant
367	Plural alicyclic rings	396	Gaseous hydrogen reactant
	containing		or Group IA or IIA light metal
368	Polycyclo ring system		containing material utilized
369	Tetracyclo ring system	397	Reactant contains -COO-
	(e.g., homo steroids, etc.)		group
370	The tetracyclo ring system	398	Carbon to carbon
370	consists of two five-membered		unsaturation in the reactant
	and two six membered cyclos	398.8	Oxidation of hydrocarbon
	(e.g., B-nor-testosterone,	33010	mixtures
	etc.)	399	
271	•	399	Oxidation of organic
371	The six-membered rings are		compound utilizing gaseous
	fused to each other (e.g., A-	400	oxygen
200	nor-progesterone, etc.)	400	Unsaturated acyclic
372	The tetracyclo ring system		hydrocarbon reactant
	consists of four six-membered	401	Ag, Au, Pd, Pt, Rh, Ir,
	cyclos (e.g., D homo-		Ru, or Os containing catalyst
	androstane, etc.)		utilized
373	Tricyclo ring system	402	Hydroxy containing reactant
374	Bicyclo ring system	403	Oxy containing reactant

404	Phosphorus, sulfur, or	438	Purification or recovery
	halogen containing material	439	Polycyclo ring system
	utilized	440	Bicyclo ring system
405	Ether or polyhydroxy	441	Oxy containing
	containing compound utilized	442	Oxy containing
406	Aluminum or silicon	443	Preparing alicyclic ring
	containing material utilized		containing aldehyde by
407	Halogen containing reactant		isomerization
408	Carbon to carbon	444	Preparing alicyclic ring
	unsaturation in reactant		containing aldehyde by
409	Acetylenic unsaturation in		hydroformylation by reacting
	the reactant		ethylenically unsaturated
410	Purification or recovery		compound, carbon monoxide, and
411	Acetone or haloacetone		gaseous hydrogen only
	purified or recovered	445	Polycyclo-alicyclic ring
412	Plural carbonyls containing		system
413	Oxy containing	446	Unsaturated alicyclic ring
414	Oxy or peroxy containing		containing
415	Carbon to carbon	447	$\dots$ 2,6,6-Trialkylcyclohexenyl
	unsaturation containing		(e.g., vitamin A derivatives,
416	Halogen containing	4.40	etc.)
417	$\ldots$ Carbon to carbon unsaturation	448	Acyclic
	containing	449	Processes
418	Halogen containing	450	Isomerization
419	Halogen containing	451	Hydroformylation by reacting
420	Aldehydes		ethylenically unsaturated
421	With preservative or		compound, carbon monoxide, and
	stabilizer	450	gaseous hydrogen
422	$\ldots$ Formaldehyde with	452	Dimer produced
	preservative or stabilizer	453	Plural stages each having
423	Nitrogen containing	4 - 4	hydroformylation
424	Benzene ring containing	454	Group VA element (N, P, As,
425	Benzene ring containing		Sb, or Bi) containing material utilized (e.g., arsenic
426	Processes		containing ligand utilized,
427	Isomerization		etc.)
428	Carbon monoxide reactant	455	Nitrogen containing
	(e.g., carbonylation, etc.)	400	material utilized
429	$\ldots$ Hydroformylation by	456	Metal or metal containing
	reacting ethylenically	430	compound filtered,
	unsaturated compound, carbon		precipitated, or deposited
	monoxide and gaseous hydrogen	457	Formaldehyde polymer
430	Ozone reactant or peroxy	457	reactant
	containing reactant	458	Aldehyde reactant
431	Oxidation of organic	459	Carbon to carbon
	compound utilizing gaseous	133	unsaturation in the aldehyde
	oxygen		prepared
432	Oxy containing aldehyde	460	Oxy or -COO- containing
	formed	100	reactant
433	Aldehyde reactant	461	Aldehyde reacted with
434	Gaseous hydrogen reactant		aldehyde
435	Reactant contains -COO-	462	Gaseous hydrogen reactant
10.5	group	463	Aldehyde reacted with
436	Nitrogen containing material		aldehyde (e.g., aldol
40.5	utilized		condensation, etc.)
437	Halogen containing reactant		. ,

464	Aldehyde reacted with	493	Of formaldehyde per se
	diverse aldehyde	494	Plural carbonyls containing
465	Oxy or -COO- containing	495	Halogen containing
	reactant	496	Oxy containing
466	Hydrogen halide or	497	Polyoxy
	elemental halogen reactant	557	Oxonium (e.g., beryllium
467	Acetylene reactant		hydride etherate, etc.)
468	<pre>Mercury containing catalyst   utilized</pre>	558	Peroxy bonded directly to carbon
469	Ozone reactant	559	With preservative or
469.9	Oxidation of hydrocarbon		stabilizer
	mixtures	560	Halogen containing
470	Oxidation of organic	561	Plural peroxy groups
	compound utilizing gaseous	562	Purification or recovery
	oxygen	563	Additional oxygen containing
471	Organic hydroxy containing	564	Hydroperoxy containing
	reactant	565	Preparing by oxidation
472	Methanol reactant		utilizing gaseous oxygen
473	Silver containing catalyst utilized	566	Plural carbonyl groups bonded directly to the peroxy group
474	Molybdenum containing		(e.g., acetyl peroxide, etc.)
	catalyst utilized	567	Oxy containing
475	Acyclic hydrocarbon	568	Hydroperoxy containing
	reactant	569	Preparing by oxidation
476	Carbon to carbon		utilizing gaseous oxygen
	unsaturation in the reactant and in the aldehyde prepared	570	Alicyclic hydroperoxide produced
477	Antimony or tin	571	Acyclic hydroperoxide
	containing catalyst utilized		produced
478	Ag, Au, Pd, Pt, Rh, Ir,	572	Pretreatment of material
	Ru, or Os containing catalyst		oxidized
	utilized	573	Initiator, accelerator, or
479	Molybdenum containing		catalyst utilized
	catalyst utilized	574	Metal containing
480	Catalyst contains	575	Heavy metal
	phosphorus	576	Purification or recovery
481	Selenium or tellurium	577	Preparing by oxidation
	containing material utilized		utilizing gaseous oxygen
482	Methane reactant	578	Preparing by reacting an
483	Hetero ring containing reactant		organic hydroperoxide and an organic hydroxy containing
484	Reactant contains -COO-		compound (H of -OH may be
	group		replaced by a Group IA or IIA
485	Oxy or peroxy containing		light metal)
106	reactant	579	Ethers
486	Polyoxy containing reactant	580	With preservative or
487	Methanol or ethanol reactant	581	stabilizerAcyclic ether preserved or
488	Halogen containing reactant		stabilized
489	Ag, Au, Pd, Pt, Rh, Ir, Ru,	582	Nitrogen containing
	or Os containing material		preservative or stabilizer
400	utilized	583	Nitrogen containing
490 491	Halogen containing reactantWater utilized as reactant	584	Ether oxygen bonded directly to benzene ring
492	Purification or recovery	585	Plural rings containing

586	Polyoxy	610	Halogen containing
587	Polyoxy	611	Plural rings containing
588	Halogen containing	612	Polycyclo alicyclic ring
589	Acyclic		system
590	Plural oxygens bonded	613	Acyclic
	directly to the same carbon	614	Halogen containing
	(e.g., acetals, ketals,	615	Fluorine
	orthoesters, orthocarbonates,	616	Carbon to carbon
	etc.)	010	unsaturation containing
591	Plural oxygens bonded directly	617	Polytetramethylene glycols
	to the same carbon (e.g.,	618	Preparing from organic
	acetals, ketals, orthoesters,	010	hydroxy containing compound (H
	orthocarbonates, etc.)		of -OH may be replaced by a
592	Benzene ring containing		Group IA or IIA light metal)
593	Plural oxyalkylene groups	619	From polyhydroxy containing
	bonded directly to each other	013	compound
594	Acyclic	620	And cyclic ether
595	At least three oxygens	621	Purification or recovery
	bonded directly to the same	622	Hydroxy containing (H of -OH
	carbon ( e.g., orthoesters,	022	may be replaced by a Group IA
	etc.)		or IIA light metal)
596	Carbon to carbon	623	Polyhydroxy containing
	unsaturation containing	624	Plural diverse oxyalkylene
597	Acetylenic unsaturation	021	groups containing
598	At least three oxygens	625	Plural diverse oxyalkylene
	containing	020	groups containing
599	One of the plural oxygens is	626	Benzene ring containing
	in a hydroxy group (i.e.,	627	Preparing by isomerization
	hemiacetals and hemiketals,	628	Preparing by alkylation of
	wherein H of -OH may be	020	benzene ring
	replaced by a Group IA or IIA	629	Preparing by hydroxylation of
	light metal)		benzene ring
600	At least three oxygens	630	Ether oxygen bonded directly
	containing		to benzene ring
601	Plural oxyalkylene groups	631	Plural rings containing
	bonded directly to each other	632	Polycyclo ring system
602	Hydroxy bonded directly to	633	Polyoxy
	each end of a chain which is	634	Halogen containing
	polyoxymethylene only (e.g.,	635	Plural benzene rings bonded
	paraformaldehyde, etc.,	000	directly to the same oxygen
	wherein H of -OH may be	636	Polyoxy
	replaced by a Group IA or IIA	637	
C02	light metal)	638	
603	Plural acetal or ketal		-OH may be replaced by a Group
	<pre>groups (e.g., tetraacetals, etc.)</pre>		IA or IIA light metal)
604		639	Halogen containing
605	Halogen containingIon exchange resin or	640	Plural benzene rings bonded
003	sulfuric acid utilized		directly to the same carbon
606	Plural oxyalkylene groups	641	Polyoxy and halogen
000	bonded directly to each other		containing
607	Benzene ring containing	642	Plural benzene rings bonded
608	Ether oxygen bonded directly		directly to each other
000	to a benzene ring	643	Polyoxy
609	Plural rings containing	644	Polyoxy
		645	Halogen containing

646	Acyclic carbon to carbon	677	Fluorine
C 4 7	unsaturation containing	678	Hydroxy containing (H of -OH
647	Halogen containing		may be replaced by a Group IA
648	Polyoxy	600	or IIA light metal)
649	Halogen containing	679	Polyether
650	Hydroxy bonded directly to	680	$\dots$ Polyhydroxy
	the benzene ring (H of -OH may	681	Halogen containing
	be replaced by a Group IA or	682	Purification or recovery
	IIA light metal)	683	Fluorine
651	Plural ether oxygens bonded directly to the benzene	684	Additional diverse halogen containing
	ring	685	Carbon to carbon
652	Ether oxygen is ortho to		unsaturation containing
	the hydroxy	686	Carbon to carbon
653	Guaiacol per se or salt		unsaturation containing
	thereof	687	Carbon to carbon unsaturation
654	Acyclic carbon to carbon	007	containing
031	unsaturation containing	688	3
655	Halogen containing	000	Preparing by reacting an
656			acyclic acetylenically
030	Halogen bonded directly to		unsaturated compound and an
655	the benzene ring		organic hydroxy containing
657	Aryl-oxy-alkenyl or aryl-		compound (H of -OH may be
	oxy-alkynyl		replaced by a Group IA or IIA
658	Acyclic hydrocarbyl group	500	light metal)
	bonded directly to the benzene ring	689	Preparing by reacting an acyclic ethylenically
659	Plural rings containing		unsaturated compound and an
660	Polyoxy		organic hydroxy containing
661	Halogen containing		compound (H of -OH may be
662	Polyoxy		replaced by a Group IA or IIA
663	Halogen containing		light metal)
664	Plural alicyclic rings	690	Noble metal containing
004	containing		catalyst utilized
CCE		691	Preparing from an acetal or
665	Polycyclo ring system		ketal
666	Alicyclic terpenic wherein the	692	Preparing by
	number of carbons is a	032	dehydrohalogenation
	multiple of five	693	Purification or recovery
667	Unsaturated alicyclic ring	694	Preparing by hydration of an
	containing	094	olefin
668	2,6,6-trialkylcyclohexenyl	COF	
	(e.g., vitamin A derivatives,	695	Metal containing catalyst
	etc.)	606	utilized
669	Alicyclic ring and halogen	696	Sulfuric acid utilized
	containing	697	Preparing by reacting an
670	Alicyclic ring and polyoxy		olefin and an organic hydroxy containing compound (H of -OH
	containing		
671	Acyclic		may be replaced by a Group IA
672	Polyoxy	600	or IIA light metal)
673	Carbon to carbon	698	Preparing by dehydration of
	unsaturation containing		an organic hydroxy containing
674	Halogen containing		compound (H of -OH may be
675	Hydroxy containing (H of -		replaced by a Group IA or IIA
	OH may be replaced by a Group	C00	light metal)
	IA or IIA light metal)	699	Purification or recovery
676	Halogen containing		
	5		

700	Hydroxy containing (H of -OH may be replaced by a Group IA	736	Acyclic hydrocarbyl group bonded directly to the
	or IIA light metal)		bicyclo ring system
701	With preservative or stabilizer	737	Halogen or polyhydroxy containing
702	Benzene ring containing compound preserved	738	Preparing from aryl sulfonate
703	Acyclic polycarbon	739	Preparing from compound
	hydrocarbyl group bonded directly to the benzene ring		which includes halogen bonded directly to a benzene ring
704	Nitrogen containing	740	Preparing by
705	Benzene ring containing	, 10	dehydrogenation
706	Phenols (H of -OH may be	741	Preparing from peroxide
700	replaced by a Group IA or IIA		or preparing by oxidation
F 0 F	light metal)	742	Purification or recovery
707	Plural rings containing	743	The additional ring is six-
708	Purification or recovery		membered
709	Halogen containing	744	$\ldots$ The additional ring is
710	Polynitro		benzene
711	Dinitro	745	Halogen containing
712	Polyhydroxy nitro containing	746	$\ldots$ Rings bonded directly to
713	Halogen containing		each other
714	Hydrophenanthrene containing	747	Rings bonded directly to
715	Benzene ring containing		each other
716	Phenols (H of -OH may be	748	Purification or recovery
	replaced by a Group IA or IIA	749	Purification or recovery
	light metal)	750	From mixture of phenols
717	Polyphenols	751	Plural phenols recovered
718	Three or more rings	, 3 ±	separately
710	containing	752	Three or more phenols
719	Polycyclo ring system	752	recovered
720	Three or more phenols	753	Of polyhydroxy phenol
720	containing	754	Of phenol prepared by
721	Alicyclic ring containing	754	cleavage of hydroperoxide or
721	Two phenols bonded directly		other peroxide
122	to the same carbon	755	Of halogen containing
723		755	phenol
723 724	Identical phenols	756	Of phenol having acyclic
	Purification or recovery	730	polycarbon hydrocarbyl group
725			bonded directly to the benzene
726	Halogen containing		ring
727	Preparing from a phenol	757	Nitrogen or phosphorus
	and an aldehyde or ketone	131	
728	Isopropylidene diphenol	750	containing compound utilized
	produced	758	Sorbent material utilized
729	Two phenols bonded directly	759	From substance which includes sulfur or a sulfur
	to two different carbons of an acyclic chain		containing compound
730	Two phenols bonded directly	760	From ammoniacal liquor
	to each other	761	From oil or tar derived
731	Additional ring containing		from fossil fuel or wood
732	Polycyclo ring system	762	Alkali metal hydroxide
733	Tricyclo ring system		utilized
734	Bicyclo ring system	763	$\ldots$ .Polyhydroxy (H of -OH may be
735	Naphthols		replaced by a Group IA or IIA
- <del>-</del>			light metal)

764	Hydroxymethyl group	794	Heavy metal or aluminum
765	containing	795	containing catalyst
765 766	Halogen containingAcyclic polycarbon	193	Preparing from aryl sulfonate
700		706	
	hydrocarbyl group bonded	796	Preparing from compound
	directly to the benzene group		which includes halogen bonded
767	Preparing from nitrogen		directly to a benzene ring
	containing compound	797	Catalyst utilized
768	Preparing by cleavage of	798	Preparing by cleavage of
	hydroperoxide or other		hydroperoxide or other
	peroxide		peroxide
769	Preparing from aryl	799	Preparing by reduction or
705		100	
	sulfonate		dehydrogenation (e.g., by
770	Preparing from compound		hydrogenation, etc.)
	which includes halogen bonded	800	Preparing by oxidation
	directly to a benzene ring	801	Of compound which contains
771	Preparing by oxidation		a benzene ring and a -COO-
772	Preparing by reduction or		group
	dehydrogenation (e.g., by	802	Molecular oxygen utilized
	hydrogenation, etc.)	803	Peroxide or peracid
773	Preparing hydroquinones	005	utilized
113		0.0.4	
	from an acetylene and carbon	804	Preparing by methylation
	monoxide	805	Preparing by dealkylation
774	Halogen containing	806	Preparing by pyrolysis
775	Fluorine or iodine		(e.g., by cracking, etc.)
776	Three or more halogens	807	Additional ring containing
	bonded directly to the ring	808	Polycyclo ring system
777	Preparing by hydrolysis	809	Plural benzene rings bonded
778	Preparing by hydrolysis	005	directly to the same carbon
779		010	
	Preparing by halogenation	810	Purification or recovery
780	Acyclic polycarbon	811	Polyhydroxy (H of -OH may be
	hydrocarbyl group bonded		replaced by a Group IA or IIA
	directly to the benzene ring		light metal)
781	Isopropyl or isopropenyl	812	Halogen containing
	group	813	Acyclic carbon to carbon
782	Preparing by reduction		unsaturation containing
	(e.g., by hydrogenation, etc.)	814	Preparing by reduction (e.g.,
783	Preparing by isomerization	011	by hydrogenation, etc.)
784	Tertiary butyl group	815	Preparing from a peroxide or
		013	
785	Preparing by catalytic	0.1.5	preparing by oxidation
	alkylation	816	Plural alicyclic rings
786	Silicon containing		containing
	catalyst	817	Polycyclo ring system
787	Boron containing catalyst	818	Adamantane ring system
788	Sulfur containing	819	Bicyclo ring system
	catalyst	820	The two cyclos share at
789		020	least three ring carbons
705	-		
700	containing catalyst	001	(i.e., bridged ring)
790	Preparing by catalytic	821	Containing alicyclic ring
	alkylation		having at least seven members
791	Silicon containing	822	Six-membered alicyclic ring
	catalyst		containing
792	Boron containing catalyst	823	Unsaturation in the ring
793	Sulfur containing catalyst	824	2,6,6-trialkylcyclohexenyls
	J 122		(e.g., vitamin A, etc.)
			(0.9.) VICAMIII 11/ 600./

825	Single hydroxy containing (H of -OH may be replaced by a Group IA or IIA light metal)	853	<pre>Polyalkylol substituted   alkane (e.g., pentaerythritol,   trimethylolethane, ect.)</pre>
826	The hydroxy is attached	854	Purification or recovery
	indirectly to the ring	855	Acetylenically unsaturated
827	Terpineol	856	Purification or recovery
828	Carbon to carbon unsaturation	857	Ethylenically unsaturated
	in substituent	858	Preparing by alcoholysis,
829	Menthols (H of -OH may be	030	hydrolysis or saponification
	replaced by a Group IA or IIA		of an ester
	light metal)	859	Preparing by hydrolysis or
020	_	033	
830	Preparing by reduction		saponification of alkyl
	(e.g., by hydrogenation, etc.)		polyhalide or halohydrin
831	Methylol cyclohexane (H of -	860	Preparing by hydroxylation
	OH may be replaced by a Group		at point of ethylenic
	IA or IIA light metal)		unsaturation
832	Hydroxy bonded directly to	861	Preparing by reduction
032	the ring (e.g., terpin	001	(e.g., by hydrogenation, etc.)
		0.60	
	hydrate, etc.) (H of -OH may	862	Of aldehyde or ketone
	be replaced by a Group IA or	863	Of polyhydroxy aldehyde or
	IIA light metal)		polyhydroxy ketone (e.g., of
833	Cyclohexane polyol (e.g.,		carbohydrate, glyceraldehyde,
	inositol, etc.)		etc.)
834	Polycarbon alkyl group	864	Of compound containing a -
	containing		COO- group
835	Cyclohexanol per se	865	Of ether
836	Preparing by oxidation	866	Preparing from ether
837	Boron containing material	867	From alkylene oxide
	utilized	868	Purification or recovery
838	Five-membered alicyclic ring	869	Of glycerol
	containing	870	Ion exchange or sorbent
839	Four-membered alicyclic ring		material utilized
	containing	871	Of spent ethylene glycol
840	Acyclic	071	from polyester production
841	_	070	
	Halogen containing	872	Ion exchange or sorbent
842	Fluorine containing		material utilized
843	Carbon to carbon	873	Acetylenically unsaturated
	unsaturation containing	874	Preparing from carbonyl
844	Polyhydroxy or polyhalogen		containing compound
	(H of -OH may be replaced by a	875	Terpenic, wherein the number
	Group IA or IIA light metal)		of carbons is a multiple of
845	Carbon to carbon		five (e.g., linalool,
045	unsaturation containing		farnesol, etc.)
0.4.6	_	07.6	
846	Preparing from aldehyde or	876	Preparing from carbonyl
	ketone		containing compound
847	Preparing from alkenyl	877	By alcoholysis, hydrolysis,
	halide		or saponification of an ester
848	Preparing from alkenol	878	From aldehyde or ketone
849	Carbon to carbon	879	By reaction of aldehyde
	unsaturation containing		with olefin (i.e., by Prins
Q50			
850	Preparing from ethylenically	0.0.0	reaction)
0.5.4	unsaturated compound	880	By reduction (e.g., by
851	$\dots$ 0xy bonded directly to a		hydrogenation, etc.)
	Group IA or IIA light metal)	881	Catalyst utilized
852	Polyhydroxy		

882	Including	909	Preparing by carbonylation
002	hydroformylation	3 0 3	(e.g., by hydroformylation,
883	Supported hydrogenation		etc.)
	catalyst utilized	909.5	Ethylenic unsaturation
884	By reduction (e.g., by		containing
	hydrogenation, etc.)	909.8	Preparing from organic
885	Catalyst utilized		peroxide or organic ozonide
886	Preparing by alcoholysis,	910	Preparing by oxidation
	hydrolysis, or saponification	910.5	Of hydrocarbon mixtures
	of ester of polybasic	911	Of metal containing compound
0.00	inorganic acid	912	Boron containing catalyst
887	Boric acid	0.4.0	utilized
888	Hydroxy compound produced	913	Purification or recovery
000	has from one to six carbons	914	By reduction (e.g., by
889	Isopropanol	015	hydrogenation, etc.)
890	Ethanol	915	By oxidation
891	Preparing by hydrolysis of	916	By dehydration
892	organic halide	917	By sorption
092	Ethylenically unsaturated hydroxy compound produced	918	By plural liquid phase separation
893	Including producing the	919	Alkali metal containing
	organic halide reactant		compound in one phase
894	Additional organic compound	920	Alkali or alkaline earth
	in reaction mixture		metal containing compound
895	Preparing by hydration of		utilized
	olefin	921	Alkali metal hydroxide
896	Supported catalyst utilized	922	Heavy metal or aluminum
897	Aluminum containing catalyst		containing compound utilized
000	utilized	923	By crystallization of
898	Phosphorus containing		hydroxy compound or by forming
000	catalyst utilized		hydroxy containing addition
899	Sulfur containing catalyst	924	compound
900	utilized	924	Nitro containing (including aci forms)
900	Heavy metal containing catalyst	925	With preservative or
901	Chromium, molybdenum, or	<i>J</i> <u>Z</u> J	stabilizer
JU1	tungsten	926	Nitronic acid or Group IA or
902	Preparing from organic	320	IIA light metal containing
J 0 Z	hydroxy containing reactant		(e.g., aci forms, etc.)
902.2	By homologation (e.g.,	927	Benzene ring containing
, , , ,	forming ethanol from methanol,	928	Plural rings containing
	etc.)	929	Polycyclo ring system
903	By reduction, dehydration,	930	Polynitro
	or cleavage	931	Polynitro
904	Olefin reacted with the	932	Polynitro
	hydroxy containing reactant	933	Halogen containing
	(e.g., preparing by	934	Single methyl and plural
	telomerization, etc.)		nitros only bonded directly to
905	$\ldots$ By condensation (e.g., by		benzene ring (e.g.,
	Guerbet reaction, etc.)		dinitrotoluene, etc.)
906	By isomerization	935	Trinitrotoluene
907	Preparing from ether	936	Halogen containing
908	Ethylenically unsaturated	937	Halogen bonded directly to
	hydroxy compound produced		benzene ring

938	Plural halogens bonded
	directly to benzene ring
939	Nitro bonded directly to
	benzene ring
940	Methyl bonded directly to
	benzene ring (e.g.,
	nitroxylene, etc.)
941	Polycyclo-alicyclic ring
	system
942	Six-membered alicyclic ring
	containing
943	Acyclic
944	Polynitro
945	Halogen containing
946	Halogen containing
947	Nitroalkanes
948	Nitromethane
949	Nitroso containing
950	Processes of oxidizing
	nonaromatic hydrocarbons; or
	purification or recovery of
	the products of such processes
951	Peroxy containing material
	utilized
952	Nitrogen or silicon containing
	compound utilized
953	Plural stages each having
	oxidation
954	Liquid phase oxidation
955	Catalyst utilized
956	Heavy metal containing
	catalyst
957	Manganese containing
	catalyst
958	Purification or recovery
959	Oxidized hydrocarbons of
	undetermined structure

## FOREIGN ART COLLECTIONS

FOR 000 CLASS-RELATED FOREIGN DOCUMENTS